
INTERCHANGE PRO®



2026 - 2027 Product Catalog

Nails



Finish / Staples



Pneumatic Tools / Accessories



Screws



Construction Supplies

Introduction



About Our Brand

Founded in 1982, *Interchange Brands, LLC* began by supplying replacement nails and staples, quickly becoming one of the nation's largest sources for interchangeable fasteners. At the time when replacement options were limited and fragmented - often imported from Europe - the company brought order to the market, providing dealers with compatible staples and later expanding to support tool manufactures lacking their own fastener programs.

In 2022, we began the journey of rebranding as **Interchange PRO**, marking a new chapter of growth and innovation. Our product line now spans a wide range of tools, accessories, fasteners, construction supplies and display/point of purchase solutions. Our team is expanding, strengthening customer support, and increasing engagement to better serve our customers. We also enhanced our digital presence, continually updating product information and resources on **www.Interchange-Pro.com** to keep you informed. We remain committed to providing the best service and solutions in the industry.

Interchange PRO is a trusted brand specializing in high-quality construction products and tools for professionals and DIY enthusiasts. Renowned for its durable fasteners, nails, screws, and accessories, Interchange PRO delivers innovative solutions for a variety of projects. With a focus on performance and reliability, our products ensure efficiency and lasting results.









Table of Contents

Fastener Reference 4

Nails & Corrosion 4
Finishes & Applications. 4
Collated Nails 5
Collated Finish & Brads 6
Collated Staples 7

Pneumatic Tools 9

Roofing Tools. 10
Siding/Fencing Tools 10
Framing Tools 10
Joist Hanger Tools 11
Hammer Tackers/Staplers 11/12
Finish Tools 11

Accessories 13

Air Hose 14
Oils & Lubricants 15
Nail Gun Hangers 16

Fasteners 17

Collated Nails 18
Collated Finish 32
Collated Staples 36
1 & 5 lb Bulk Nails 44
50 lb Bulk Nails. 50
1M Collated Nails 52
1M Finish Nails 54
Decking & Construction Screws 56
Drywall & Metal Framing Screws. 58

Construction Supplies 61

Water Hose 62
Contractor Bags 63
Floor Protection 63
House Wrap 64
Roofing Underlayment. . . . 64
Stucco/Utility Tape 65
Curing Concrete Blanket . . . 66
Tie Wire 66

Display & POP 67

Gondola Accessories 68
Poly Hose Display 69

Fastener Reference

Fasteners & Corrosion

Fastener performance in wood depends on the fastener's metal and coating, the wood's chemical makeup, and environmental conditions.

- Galvanizing protects steel from rust, but salt, humidity, and pollution can break it down over time.
- Certain woods, like redwood and cedar, contain tannins that react with zinc coatings, causing stains.
- Wood acidity, preservatives, and fire retardants can corrode some metals.

For harsh environments, aluminum or stainless steel fasteners are best. For unusual applications, seek advice from lumber dealers, building associations, manufacturers, or engineers.

Finishes & Applications

INTERIOR - *Limited corrosion protection - Suggested for interior applications. Do not use in treated lumber or where rust and corrosion is a concern.*

Bright: Uncoated steel finish. Not for use in treated lumber.
Vinyl Coated: Provides ease of nail driving and improved holding power.

EXTERIOR - *Higher corrosion resistance - Suggested for exterior use.*

Electro-Galvanized: Limited corrosion protection. Applied to steel through an electrical charge. Meets ASTM A-641 standards.
Hot Galvanized: The coating on hot galvanized nails could be hot dipped zinc, hot dipped wire zinc or thermal diffused zinc. Recommended for treated lumber. All hot galvanized nails comply with ASTM A153 standards.
Stainless Steel: Provides the best corrosion resistance for use in cedar, redwood and treated lumber.
Aluminum: Provides the best corrosion resistance for specialty exterior applications such as gutters and trimming. Do not use with treated lumber.



Coating Guide

Bright Ideal for indoor projects. Excellent holding power & a clean finish for framing, carpentry and woodworking.	**Hot Galvanized** Ideal for outdoor & high-moisture environments. Durable & rust -resistant. ACQ Approved.
Electro Galvanized Ideal for indoor use. Ensuring strength & protection with its added corrosion resistance coating.	**Stainless Steel** Provides the best corrosion resistance. For use in cedar, redwood and treated lumber.
Electro Galvanized Ideal for light outdoor use. Ensuring strength & protection with its added corrosion resistance coating.	**Aluminum** Provides the best corrosion resistance for specialty exterior applications such as gutters and trimming. Do not use with treated lumber.

Collated Nails

21° ROUND HEAD NAIL

DPS 21º Round Head - Plastic Strip Collated

1-1/2" - 5" Length | .109 - .162 Diameter

BRIGHT | ELECTRO-GALVANIZED | HOT-GALVANIZED | STAINLESS STEEL



Framing, Decking, Sheathing, Subflooring and Truss Construction

Use InterchangePRO® tools **NSR83-21 PRO** and/or **NSR83-21 PRO FRAMER**

MC METAL CONNECTOR NAIL

PTJH 34º Round Head - Metal Connector - Paper Tape Collated

1-1/2" - 2-1/2" Length | .113 - .162 Diameter

BRIGHT | ELECTRO-GALVANIZED | HOT-GALVANIZED



Joist Hanger and Metal Connector Installation

Use InterchangePRO® tools **NSJH38-34 PRO** and/or **NSJH64-34 PRO**

30°-34° PAPER TAPE

PT / PTOR 30º - 34º Clipped or Offset Round Head - Paper Collated

2" - 3-1/2" Length | .113 - .148 Diameter

BRIGHT | ELECTRO-GALVANIZED | HOT-GALVANIZED



Framing, Decking, Sheathing, Subflooring and Truss Construction

Use InterchangePRO® **NSC90-34 PRO & NSC83-34PRO** tools

28° CLIPPED HEAD NAIL

BW 28º Clipped Head - Wire Strip Collated

2" - 3-1/2" Length | .113 - .131 Diameter

BRIGHT | ELECTRO-GALVANIZED | HOT-GALVANIZED



Framing, Decking, Sheathing, Subflooring and Truss Construction

Use InterchangePRO® **NSC83-28 PRO** tool

15° COIL NAIL

HWCF / MWCL 15º Round Head - Wire Coil Collated

1-1/4" - 4" Length | .083 - .148 Diameter

BRIGHT | ELECTRO-GALVANIZED | ELECTRO-GALVANIZED | HOT-GALVANIZED | STAINLESS STEEL



Floor/Wall Framing, Siding, Decking, Sheathing, Subflooring, Fencing, Wood Shingles, Pallets, Boxes and Crating

Use InterchangePRO® **CN565-15 PRO, CFN90PRO & CFN83PRO** tools

15° COIL SIDING NAIL

MPC 15º Round Head - Plastic Coil Collated

1-3/4" - 2-1/2" Length | .092 - .099 Diameter

ELECTRO-GALVANIZED | ELECTRO-GALVANIZED | HOT-GALVANIZED | STAINLESS STEEL



Siding, Fencing, and Decking

Use InterchangePRO® **CN565-15 PRO & CFN90PRO** tools

RF ROOFING NAIL

CR 15º Roofing Nails - Wire Coil Collated

3/4" - 2-1/2" Length | .120 Diameter

ELECTRO-GALVANIZED | HOT-GALVANIZED | STAINLESS STEEL



Asphalt/Fiberglass Shingles, Roofing Felt, Foam/Fiberboard Sheathing and Insulation Board

Use InterchangePRO® **CRN4500 PRO & CRN4500HPRO** tools

0° COIL SIDING NAIL

DPC 0º Round Head - Plastic Sheet Collated

1-1/2" - 5" Length | .086 - .148 Diameter

BRIGHT | ELECTRO-GALVANIZED | ELECTRO-GALVANIZED | HOT-GALVANIZED | STAINLESS STEEL | ALUMINUM



Siding, Fencing, and Decking

Use InterchangePRO® **CN565-0 PRO** tool

20° PLASTIC COIL

DPRC 20º Round Head - Plastic Rope Coil Collated

1-3/4" - 1-7/8" Length | .086 Diameter

HOT-GALVANIZED | STAINLESS STEEL



Siding, Fencing, Shingle and Decking

Use InterchangePRO® **CN50-20 PRO** tool

Collated Finish Nails and Brads


15 GA ANGLED NAIL

BA 25° Angled Finish Nails

1-1/2" - 2-1/2" Length | 15 Gauge

ELECTRO-GALVANIZED

Paneling and Trim, Frame Assembly, Door and Window Casings and Cabinet Building



15 GA ANGLED NAIL


DA 34° Angled Finish Nails

Recommended use with InterchangePRO® tool **DA250 PRO**

1" - 2-1/2" Length | 15 Gauge

ELECTRO-GALVANIZED STAINLESS STEEL

Paneling and Trim, Frame Assembly, Door and Window Casings and Cabinet Building



23 GA PIN NAIL


MP 23 Gauge Micro Pins

Recommended use with InterchangePRO® tools **MP3523PRO**

1/2" - 1-3/8" Length | 23 Gauge

ELECTRO-GALVANIZED

Finish, Trim, Cabinets, Mirror and Picture Frames



16 GA STRAIGHT NAIL

PB Medium Head Finish Nails

Recommended use with InterchangePRO® tool **FN250 PRO**

2" - 3-1/2" Length | .113 - .131 Diameter

ELECTRO-GALVANIZED STAINLESS STEEL

Paneling and Trim, Frame Assembly, Door and Window Casings and Cabinet Building




16 GA ANGLED NAIL

PBA 20° Angled Medium Head Finish Nails

1-1/2" - 2-1/2" Length | 16 Gauge

ELECTRO-GALVANIZED

Paneling and Trim, Frame Assembly, Door and Window Casings and Cabinet Building



18 GA BRAD NAIL


PX 18 Gauge Medium Head Brads

Recommended use with InterchangePRO® tool **BN200 PRO**

1/2" - 2" Length | 18 Gauge

ELECTRO-GALVANIZED

Decorative Mouldings, Picture Frame Assembly, Trim and Cabinet Building




18 GA BRAD NAIL

PY 18 Gauge Slight Head Brads

5/8" - 1" Length | 18 Gauge

ELECTRO-GALVANIZED

Decorative Mouldings, Picture Frame Assembly, Trim and Cabinet Building




18 GA BRAD NAIL

PZ 18 Gauge Headless Pins

1/2" - 3/4" Length | 18 Gauge

ELECTRO-GALVANIZED

Decorative Mouldings, Picture Frame Assembly, Trim and Cabinet Building



Collated Staples

Fine Wire Staples

22 GA NARROW CROWN STAPLE

A Series 3/16" Crown Staple

22 Gauge - 1/4" - 1/2" Leg

ELECTRO GALVANIZED

22 GA NARROW CROWN STAPLE

D Series 3/16" Crown Staple

22 Gauge - 5/8" Leg

ELECTRO GALVANIZED

22 GA MEDIUM CROWN STAPLE

B Series 1/2" Crown Staple

22 Gauge - 1/4" - 1/2" Leg

ELECTRO GALVANIZED

22 GA MEDIUM CROWN STAPLE

C Series 3/8" Crown Staple

22 Gauge - 5/32" - 5/8" Leg

ELECTRO GALVANIZED

20 GA NARROW CROWN STAPLE

5400 Series 3/16" Crown Staple

20 Gauge - 1/2" Leg

ELECTRO GALVANIZED

20 GA MEDIUM CROWN STAPLE

7500 Series 7/16" Crown Staple

20 Gauge - 3/8" Leg

ELECTRO GALVANIZED

20 GA MEDIUM CROWN STAPLE

F Series 1/2" Crown Staple

20 Gauge - 1/4" - 1/2" Leg

ELECTRO GALVANIZED

20 GA MEDIUM CROWN STAPLE

G Series 3/8" Crown Staple

20 Gauge - 1/2" Leg

ELECTRO GALVANIZED

20 GA MEDIUM CROWN STAPLE

5000 Series 1/2" Crown Staple

20 Gauge - 1/4" - 9/16" Leg

ELECTRO GALVANIZED Recommended use with InterchangePRO® tool **5000HT PRO**

Hammer Tacker Staples

A11 TACKER

A11 Series 3/8" Crown Staple

Tacker Staples - 1/4" - 9/16" Leg

ELECTRO GALVANIZED Recommended use with InterchangePRO® tool **A11 HT PRO & A11HTB PRO**

A19 TACKER

A19 Series 3/8" Crown Staple

Tacker Staples - 1/4" Leg

ELECTRO GALVANIZED STAINLESS STEEL

SHCR TACKER

SHCR Series 3/8" Crown Staple

20 Gauge - 3/8" Leg

ELECTRO GALVANIZED

STCR TACKER

STCR Series 3/8" Crown Staple

20-23 Gauge - 1/4" - 9/16" Leg

ELECTRO GALVANIZED

Collated Staples

Medium Wire Staples

18 GA NARROW CROWN STAPLE

L Series 1/4" Crown Staple
18 Gauge - 3/8" - 1-1/2" Leg
Use InterchangePRO® **SL150 PRO** tool
ELECTRO GALVANIZED

18 GA NARROW CROWN STAPLE

GSN Series 3/16" Crown Staple
18 Gauge - 5/8" - 1-1/2" Leg
ELECTRO GALVANIZED

18 GA MEDIUM CROWN STAPLE

J Series 7/16" Crown Staple
18 Gauge - 3/8" - 5/8" Leg
ELECTRO GALVANIZED

18 GA STAPLE

SX Series 7/32" Crown Staple
18 Gauge - 5/8" - 1-3/8" Leg
ELECTRO GALVANIZED

18 GA MEDIUM CROWN STAPLE

M Series 3/8" Crown Staple
18 Gauge - 3/8" - 1-1/2" Leg
Use InterchangePRO® **SM125LN PRO** tool
ELECTRO GALVANIZED
Recommended use with InterchangePRO® tool **SM150VPRO**

19 GA NARROW CROWN STAPLE

K Series 1/4" Crown Staple
19 Gauge - 3/4" Leg
ELECTRO GALVANIZED

Heavy Wire Staples

16 GA MEDIUM CROWN STAPLE

N Series 7/16" Crown Staple
16 Gauge - 1/2" - 2" Leg
Use InterchangePRO® **SN5016 PRO** tool
ELECTRO GALVANIZED STAINLESS STEEL

14 GA WIDE CROWN STAPLE

GSW Series 15/16" Crown Staple
14 Gauge - 7/8" Leg
ELECTRO GALVANIZED

16 GA MEDIUM CROWN STAPLE

GS16 Series 1/2" Crown Staple
16 Gauge - 3/4" - 2" Leg
ELECTRO GALVANIZED STAINLESS STEEL

16 GA MEDIUM CROWN STAPLE

BCS Series 1/2" Crown Staple
16 Gauge - 1" - 2" Leg
ELECTRO GALVANIZED

FS FLOORING STAPLE

BCS-FS Series 1/2" Crown
15 Gauge - 1-1/2" - 2" Leg
ELECTRO GALVANIZED

16 GA WIDE CROWN STAPLE

P Series 1" Crown Staple
16 Gauge - 3/8" - 2" Leg
Use InterchangePRO® **SP406 PRO** tool
ELECTRO GALVANIZED

16 GA WIDE CROWN STAPLE

GSW Series 15/16" Crown Staple
16 Gauge - 5/8" - 2" Leg
ELECTRO GALVANIZED

15 GA MEDIUM CROWN Q-WIRE STAPLE

Q Series 7/16" Crown Staple
15 Gauge - 1-1/4" - 2-1/2" Leg
ELECTRO GALVANIZED

16 GA WIDE CROWN STAPLE

BCS Series 1" Crown Staple
16 Gauge - 3/4" - 2" Leg
ELECTRO GALVANIZED

16 GA MEDIUM CROWN STAPLE DUO-FAST

7600 Series 7/16" Crown Staple
16 Gauge - 1" - 2" Leg
ELECTRO GALVANIZED

INTERCHANGE PRO®

TOOLS

Pneumatic Tools

3 YEAR LIMITED WARRANTY

Durable, high performance tools designed for professional fastening tasks. Our selection helps you work faster, safer and with precision on every roofing job. Built to withstand tough job site conditions.

	NSC83-28 PRO Framing Nailer Item ID. 65740	NSC83-34 PRO Framing Nailer Item ID. 65784	NSC90-34 PRO Framing Nailer Item ID. 65745	NSR83-21 PRO Framing Nailer Item ID. 65730	NSR83-21 PRO Framer Framing Nailer Item ID. 65735	CRN4500 PRO Roofing Nailer Item ID. 65750
Item Info						
Fastener Type	28° CLIPPED HEAD NAIL	30°-34° PAPER TAPE	30°-34° PAPER TAPE	21° ROUND HEAD NAIL	21° ROUND HEAD NAIL	RF ROOFING NAIL
Fastener Range	Length: 2" to 3-1/4" Shank Dia.: .113" to .131" Head Dia.: .275" to .283"	Length: 2" to 3-1/2" Shank Dia.: .113" to .131" Head Dia.: .255" to .303"	Length: 2" to 3-1/2" Shank Dia.: .113" to .131" Head Dia.: .275" to .283"	Length: 2" to 3-1/2" Shank Dia.: .113" to .131" Head Dia.: .275" to .283"	Length: 2" to 3-1/2" Shank Dia.: .113" to .131" Head Dia.: .275" to .283"	Length: 7/8" to 1-3/4" Shank Dia.: .120" Head Dia.: .37"
Magazine Capacity	86-94 Nails	84 Nails	86-94 Nails	64 Nails	64 Nails	120 Nails
Firing Mode	Selectable trigger - Bump or Sequential Fire	Bump or Sequential trigger options	Bump or Sequential trigger options	Bump Fire	Bump Fire	Sequential Fire
Operating Pressure	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar
Weight	8.4 lbs., 3.8 kgs.	8.5 lbs., 3.9 kgs.	8.4 lbs., 3.8 kgs.	8.2 lbs., 3.7 kgs.	8.2 lbs., 3.7 kgs.	5.5 lbs., 2.5 kgs.

	CFN83 PRO Coil Framer Item ID. 65795	CFN90 PRO Coil Nailer Item ID. 65796	CN565-0 PRO Coil Nailer Item ID. 65770	CN565-15 PRO Siding Nailer Item ID. 65765	CN50-20 PRO Coil Nailer Item ID. 65781	CRN4500H PRO Roofing Nailer Item ID. 65785
Item Info						
Fastener Type	15° COIL NAIL	15° COIL SIDING NAIL 15° COIL NAIL	0° COIL SIDING NAIL	15° COIL SIDING NAIL 15° COIL NAIL	20° PLASTIC COIL	RF ROOFING NAIL
Fastener Range	Length: 2" to 3-1/4" Shank Dia.: .099" to .113" Head Dia.: .224" to .295"	Length: Plastic: 1-3/4" to 3" Wire: 1-3/4" to 3-1/2" Shank Dia.: .099" to .148" Head Dia.: .217" to .308"	Length: 1-1/4" to 2-1/2" Shank Dia.: .080" to .105" Head Dia.: .216" to .236"	Length: Plastic: 1-1/4" to 2-1/2" Wire: 1-3/4" to 2-1/2" Shank Dia.: .083" to .099" Head Dia.: .197" to .236"	Length: 1-3/4" to 2" Shank Dia.: .086" to .092" Head Dia.: .197" to .224"	Length: 7/8" to 1-3/4" Shank Dia.: .120" Head Dia.: .37"
Magazine Capacity	300 Nails	150-300 Nails	300 Nails	200 Plastic Nails 250-400 Wire Nails	385 Nails	120 Nails
Firing Mode	Bump Fire	Selectable trigger - Bump or Sequential Fire	Selectable trigger - Bump or Sequential Fire	Selectable trigger - Bump or Sequential Fire	Bump Fire	Bump or Sequential trigger options
Operating Pressure	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar
Weight	8.66 lbs., 3.93 kgs.	3.35 lbs., 7.4 kgs.	5.07 lbs., 2.3 kgs.	4.4 lbs., 2.0 kgs.	4.8 lbs., 2.2 kgs.	5.51 lbs., 2.5 kgs.

Pneumatic Tools

3 YEAR LIMITED WARRANTY

	BN200 PRO Brad Nailer Item ID. 65776	SL150 PRO Narrow Crown Stapler Item ID. 65777	FN250 PRO Finish Nailer Item ID. 65775	DA250 PRO Finish Nailer Item ID. 65778	MP3523 PRO Micro Pin Nailer Item ID. 65790	MPN16 PRO Finish Nailer Item ID. 65779
Item Info						
Fastener Type	18 GA BRAD NAIL	18 GA NARROW CROWN STAPLE	16 GA STRAIGHT NAIL	15 GA ANGLED NAIL	23 GA PIN NAIL	
Fastener Range	Length: 5/8" to 2-1/8" Shank Dia.: 18 Gauge	Crown: 1/4" Leg Length: 3/8" to 1-1/2" Gauge: 18 Gauge	Length: 1-1/4" to 2-1/2" Shank Dia.: 16 Gauge	Length: 1-1/4" to 2-1/2" Shank Dia.: 15 Gauge	Length: 1/2" to 1-3/8" Shank Dia.: 23 Gauge	Length: 2" to 3-1/2" Shank Dia.: .08" to .162" Head Dia.: .344"
Magazine Capacity	110 Collated Brads	107 Staples	107 Collated Brads	107 Collated Nails	145 Nails	Single
Firing Mode	Selectable trigger - Bump or Sequential Fire	Selectable trigger - Bump or Sequential Fire	Selectable trigger - Bump or Sequential Fire	Selectable trigger - Bump or Sequential Fire	Dual Trigger	Single
Operating Pressure	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar
Weight	2.7 lbs., 1.24 kgs.	2.6 lbs., 1.2 kgs.	3.8 lbs., 1.72 kgs.	4.6 lbs., 2.1 kgs.	1.92 lbs., 0.87 kgs.	1 lb., 0.46 kgs.

	NSJH38-34 PRO Joist Hanger Nailer Item ID. 65755	NSJH64-34 PRO Joist Hanger Nailer Item ID. 65760	SM150V PRO "M" Wire Stapler Item ID. 65782	SN5016 PRO Medium Crown Stapler Item ID. 65771	SP4016 PRO Wide Crown Stapler Item ID. 65772	RCS40 PRO Plastic Cap Stapler Item ID. 65783
Item Info						
Fastener Type	MC METAL CONNECTOR NAIL	MC METAL CONNECTOR NAIL	18 GA MEDIUM CROWN STAPLE	16 GA MEDIUM CROWN STAPLE	16 GA WIDE CROWN STAPLE	PC PLASTIC CAPS AND STAPLES
Fastener Range	Length: 1-1/2" Shank Dia.: .131" / .148" Head Dia.: .28"	Length: 1-1/2" and 2-1/2" Shank Dia.: .131" / .148" / .162" Head Dia.: .28"	Crown: 3/8" Leg Length: 3/4" to 1-1/2" Gauge: 18 Gauge	Crown: 7/16" Leg Length: 1" to 2" Gauge: 16 Gauge	Crown: 1" Leg Length: 5/8" to 1-1/2" Gauge: 16 Gauge	Crown: 3/8" Leg Length: 5/8" to 1-1/2" Gauge: 18 Gauge 1" Caps
Magazine Capacity	30 Nails	30 Nails	120 Staples	140 Staples	140 Staples	202 Staples
Firing Mode	Sequential Fire	Sequential Fire	Bump or Sequential trigger options	Selectable trigger - Bump or Sequential Fire	Bump or Sequential trigger options	Selectable trigger - Bump or Sequential Fire
Operating Pressure	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar
Weight	4.96 lbs., 2.25 kgs.	5.9 lbs., 2.7 kgs.	2.9 lbs., 1.3 kgs.	4.3 lbs., 1.94 kgs.	5.29 lbs., 2.4 kgs.	4.23 lbs., 1.92 kgs.

Pneumatic Tools

3 YEAR LIMITED WARRANTY

Durable, high performance tools designed for professional fastening tasks. Our selection helps you work faster, safer and with precision on every roofing job. Built to withstand tough job site conditions.

	CN57 PRO Pallet Nailer Item ID. 65792	CN70 PRO Pallet Nailer Item ID. 65793	CN80 PRO Pallet Nailer Item ID. 65794	HN500A Coil Nailer Item ID. 64281	CN32-PZX PRO Coil Nailer Item ID. 65800
Item Info					
Fastener Type	15° COIL NAIL	15° COIL NAIL	15° COIL NAIL	0° COIL SIDING NAIL	0° COIL SIDING NAIL
Fastener Range	Length: 1" to 2-1/4" Shank Dia.: .083" to .090" Head Dia.: .197" to .224"	Length: 1-3/4" to 2-3/4" Shank Dia.: .092" to .113" Head Dia.: .224" to .276"	Length: 2" to 3-1/4" Shank Dia.: .099" to .131" Head Dia.: .224" to .295"	Length: 3-1/2"to 5-1/8" Shank Dia.: .120" to 150" Head Dia.: .335" to .354"	Length: 5/8" - 1-1/4" Shank Dia.: .058" / .083" Head Dia.: .138" to .189"
Magazine Capacity	300-350 Nails	250-300 Nails	225-300 Nails	150 Nails	150-188 Nails
Firing Mode	Bump Fire	Bump Fire	Bump Fire	Sequential Fire	Selectable trigger - Bump or Sequential Fire
Operating Pressure	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar	70–120psi, 4.8–8.3 bar
Weight	5.9 lbs., 2.7 kgs.	7.9 lbs., 3.6 kgs.	8.4 lbs., 3.8 kgs.	13.42 lbs., 6.10 kgs.	2.79 lbs., 1.24 kgs.

	S5016AL PRO Medium Crown Stapler Item ID. 65786	SA1116AL PRO Medium Crown Stapler Item ID. 65787	S7116AL PRO Upholstery Stapler Item ID. 65788	S7116 PRO Upholstery Stapler Item ID. 65789	SM125LN PRO Medium Crown Stapler Item ID. 65780
Item Info					
Fastener Type	20 GA MEDIUM CROWN STAPLE	A11 TACKER	22 GA MEDIUM CROWN STAPLE	22 GA MEDIUM CROWN STAPLE	18 GA MEDIUM CROWN STAPLE
Fastener Range	Crown: 1/2" Leg Length: 3/16" to 5/8" Gauge: 20 Gauge 5000 Series	Crown: 3/8" Leg Length: 1/4" to 5/8" Gauge: 20 Gauge A11 Series	Crown: 3/8" Leg Length: 1/4" to 5/8" Gauge: 22 Gauge C Series	Crown: 3/8" Leg Length: 1/4" to 5/8" Gauge: 22 Gauge C Series	Crown: 3/8" Leg Length: 5/8" to 1-1/4" Gauge: 18 Gauge
Magazine Capacity	228 Staples	228 Staples	382 Staples	185 Staples	100 Staples
Firing Mode	Single or Auto-Fire	Single or Auto-Fire	Single or Auto-Fire	Single Fire	Trigger Fire (No Safety)
Operating Pressure	60–100psi, 4.1–6.9 bar	60–100psi, 4.1–6.9 bar	60–100psi, 4.1–6.9 bar	60–100psi, 4.1–6.9 bar	70–120psi, 4.8–8.3 bar
Weight	3 lbs.,1.37 kgs.	3 lbs.,1.37 kgs.	2.9 lbs., 1.32 kgs.	1.8 lbs., 0.84 kgs.	2.97 lbs., 1.35 kgs.

HAMMER TACKERS

A11 HT PRO
Hammer Tacker Stapler
Item ID. 64210



A11 TACKER

A11 HTB PRO
Hammer Tacker Stapler
Item ID. 65798



A11 TACKER

5000HT PRO
Hammer Tacker Stapler
Item ID. 65799



20 GA MEDIUM CROWN STAPLE



INTERCHANGE PRO®

ACCESSORIES

Air Hoses

Our air hose collection includes durable poly, flexible rubber and tough PVC options. Each are built to handle demanding job site conditions while maintaining performance and reliability.

Fast-Fix Technology!



- Field Repair Ends
- Brass 6-ball coupler and male plug installed
- Constructed with strong polyester reinforcement
- Withstands temperatures from -40ºF to 165º F
- Ultra Lightweight and Flexible in cold weather

POLY AIR HOSE

SKU	Item ID	DESCRIPTION
PU1425-FF-BLU	84556	1/4" X 25' BLUE
PU1450-FF-BLU	84557	1/4" X 50' BLUE
PU14100-FF-BLU	84558	1/4" X 100' BLUE



- Heavy-Duty 100% Rubber Construction
- 20% Lighter than standard rubber air hose
- Extreme Ozone & UV Resistance provides protection from extreme weather
- Flexibility in extreme conditions from -40ºF to 190º F
- Constructed with high-strength polyester-braided reinforcement
- 4-finger grip bend restrictor for better ergonomics
- Oil Resistant Core & Cover
- Safety Factor 4:1

RUBBER AIR HOSE

SKU	Item ID	SIZE
RB1450-SC	84776	1/4" X 50'
RB14100-SC	84777	1/4" X 100'
RB3850-SC	84778	3/8" X 50'
RB38100-SC	84779	3/8" X 100'
RB1250-SC	84780	*1/2" X 50'
RB12100-SC	84781	*1/2" X 100'

*½ Hose assemblies do not come with Fast Fix hose ends or Quick Couplers

PVC, Poly & Recoil



PVC AIR HOSE KIT

SKU	Item ID	SIZE
PV3825KIT-10	84789	3/8" x 25' HOSE

QUICK START AIR HOSE KIT INCLUDES:

- 1 - PVC Air Hose
- 1 - Blow Gun
- 1 - I/M 1/4" Female Coupler
- 2 - I/M 1/4" Female Plugs
- 1 - I/M 1/4" Male Coupler
- 3 - I/M 1/4" Male Plugs
- 1 - Pencil Type Gauge
- 1 - Ball Foot Tire Chuck
- 1 - Teflon Tape



AIR HOSE DISPLAY

SKU	Item ID
FG00176	FG00176

DESCRIPTION
DISPLAY FOR POLY AIR HOSE Sizes 1/4" X 25-ft, 1/4" x 50-ft, 1/4" x 100-ft Compact (Approx. 2-ft x 2-ft footprint) Lightweight cardboard pop-up design Holds 24 to 60 Hoses

Also Available!

RECOIL AIR HOSE

PREMIUM FIELD REPAIRABLE
Poly Recoil 3/8" x 25'

PUR3825-10-SC
84788



RECOIL AIR HOSE

ECONOMY
1/4" x 25' Poly Recoil Air Hose, 120 PSI

PUR1425-5-SC
84787



Oils & Lubricants

Our oils and lubricants are engineered to maximize performance and extend equipment life. Tool oils reduce friction, wear, and corrosion to keep tools running efficiently, while compresoor oils help dissipate heat, protect critical components, and ensure smooth, reliable operation.

Pneumatic Tool Oil

For Summer or Winter

Lubricates internal parts of pneumatic tools, reducing friction and preventing wear. It also helps protect against rust, corrosion, and moisture damage for smooth, reliable performance.

Summer Winter



Compressor Pump Oil

For Summer or Winter

Lubricates the pump components, reducing friction and wear. It helps ensure smooth operation, cools the pumps, and protects against rust and corrosion during summer or winter.

Summer Winter



Compressor Engine Oil

4-Cycle Engine Oil

Lubricates and protects compressor parts, reducing friction, wear and tear. It ensures smooth operation and extends equipment life.

All Season



Size	SKU	Season	Item ID	Description
Pneumatic Tool Oil				
Half Pint - 8 fl. oz.	PTOHP	Summer	95540	Pneumatic Tool Oil 8oz
Half Pint - 8 fl. oz.	PTOHPW	Winter	95545	Pneumatic Tool Oil 8oz with Anti-Freeze
1 Quart - 32 fl. oz	PTOQ	Summer	95550	Pneumatic Tool Oil 32oz
1 Gallon - 128 fl. oz	PTOG	Summer	95530	Pneumatic Tool Oil 1gal
Compressor Pump Oil				
1 Quart - 32 fl. oz	CPOQS	Summer	95510	Compressor Pump Oil Summer 32oz
1 Quart - 32 fl. oz	CPOQW	Winter	95520	Compressor Pump Oil Winter 32oz
1 Gallon - 128 fl. oz	CPOGS	Summer	95515	Compressor Pump Oil 1gal
Compressor Engine Oil				
1 Quart - 32 fl. oz	CEOQ	All Season	95500	Engine Oil 10w30 quart



NOTES

Nail Gun Hangers

3 YEAR LIMITED WARRANTY

With a universal fit, this nail gun hanger protects your tools while not in use and conveniently folds to the side while in use.





*Tool not included

MADE IN USA

Universal Fit

Compatible with most nail & staple guns
Perfect for framing nailers on job sites, in workshops, or tool storage setups.

Secure & Convenient
Mounts to joists, rafters, or trusses
Works on flat to 12/12 pitched surfaces to keep your tool always within reach.

Protects Your Tools
Reduces drops & damage
Helps extend the life of your tools by preventing accidental falls.

Folds Flat
Space-saving when not in use
Low-profile design stays out of the way when stored.

Get our flyer digitally!
Scan the QR code.

Item ID	Tools it Works with	Warranty	Description
Nail Gun Hanger			
99102	Interchange Pro NSR83 Series Metabo NR83A Series Metabo NR90AC Series	3-Year Limited	Allows a Nail Gun to be safely hung from joists, rafters and trusses from a flat to a 12/12 pitch.



NOTES



INTERCHANGE PRO®

FASTENERS

DPS

21° Round Head Plastic Collated Strip Nails



BRIGHT				
Length	Dia	Shank	QTY	Item ID
1-1/2"	.148	SMOOTH	6 M	12210
2"	.113	SMOOTH	6 M	12015
2-1/4"	.120	SMOOTH	5 M	12020
2-1/4"	.148	SCREW	4 M	14864
2-1/4"	.148	SMOOTH	4 M	12099
2-1/4"	.148	RING	4 M	14863
2-1/4"	.148	RING	5 M	12223
2-3/8"	.113	SMOOTH	2 M	12041
2-3/8"	.113	RING	2 M	12044
2-3/8"	.113	SMOOTH	5 M	12025
2-3/8"	.113	RING	5 M	12030
2-3/8"	.113	SCREW	5 M	12035
2-3/8"	.148	RING	4 M	12232
2-3/8"	.148	SMOOTH	4 M	12052
2-3/8"	.148	SMOOTH	4 M	12226
2-3/8"	.148	SCREW	4 M	12236
2-1/2"	.131	SMOOTH	2 M	12162
2-1/2"	.131	SMOOTH	5 M	12050
2-1/2"	.131	RING	5 M	12051
2-3/4"	.120	SCREW	4 M	12073
3"	.120	SMOOTH	2 M	12059
3"	.120	SMOOTH	4 M	12060
3"	.120	SCREW	4 M	12063
3"	.120	RING	4 M	12064
3"	.131	SMOOTH	4 M	12070
3"	.131	RING	4 M	12074
3"	.131	SCREW	4 M	12075
3"	.148	SMOOTH	4 M	12300
3-1/4"	.120	SMOOTH	4 M	12110
3-3/4"	.131	SMOOTH	1.25 M	12149
3-1/4"	.131	SMOOTH	2 M	12126
3-1/4"	.131	SMOOTH	3 M	12145
3-1/4"	.131	SMOOTH	4 M	12115
3-1/4"	.131	SCREW	4 M	12117
3-1/4"	.131	SMOOTH	4 M	12116
3-1/4"	.148	SMOOTH	3 M	12343
3-1/2"	.131	SMOOTH	4 M	12148
3-1/2"	.135	SMOOTH	4 M	12152
3-1/2"	.162	SMOOTH	3 M	12158
5"	.148	SMOOTH	1.5 M	12163
5"	.148	SMOOTH	1.8 M	12160

ELECTRO GALVANIZED				
Length	Dia	Shank	QTY	Item ID
2"	.113	SMOOTH	6 M	12016
2"	.113	RING	6 M	12017
2-3/8"	.113	SMOOTH	5 M	12040
2-3/8"	.113	RING	5 M	12042
2-1/2"	.131	SMOOTH	5 M	12055
3"	.120	RING	4 M	12066
3"	.120	SMOOTH	4 M	12061
3"	.120	SCREW	4 M	12069
3"	.131	SMOOTH	4 M	12085
3"	.131	RING	4 M	12087
3-1/4"	.120	SCREW	4 M	12112
3-1/4"	.131	SCREW	4 M	12122
3-1/4"	.131	SMOOTH	4 M	12125



NSR83-21 PRO

Framing Nailer

Item ID. 65730

See Page 10



NSR83-21 PRO Framer

Framing Nailer

Item ID. 65735

See Page 10



DPS

21° Round Head Plastic Collated Strip Nails



HOT GALVANIZED				
Length	Dia	Shank	QTY	Item ID
2"	.113	RING	2 M	12006
2"	.113	RING	6 M	12008
2-1/4"	.120	SCREW	2 M	13106
2-1/4"	.148	SMOOTH	4 M	10199
2-3/8"	.113	SMOOTH	2 M	12034
2-3/8"	.113	RING	2 M	12036
2-3/8"	.113	SMOOTH	5 M	12037
2-3/8"	.113	RING	5 M	12038
2-3/8"	.148	SMOOTH	4 M	12146
2-3/8"	.148	RING	4 M	12159
2-1/2"	.131	SMOOTH	4 M	12033
2-1/2"	.131	SMOOTH	5 M	12024
2-1/2"	.131	RING	5 M	12161
2-1/2"	.148	SMOOTH	4 M	21055
3"	.120	RING	2 M	12054
3"	.120	RING	4 M	12053
3"	.120	SCREW	4 M	12072
3"	.120	SMOOTH	4 M	12062
3"	.131	SMOOTH	2 M	12079
3"	.131	RING	2 M	12084
3"	.131	SMOOTH	4 M	12082
3"	.131	RING	4 M	12083
3"	.148	SMOOTH	4 M	12097
3-1/4"	.120	SCREW	2 M	12103
3-1/4"	.120	RING	2 M	12119
3-1/4"	.120	RING	4 M	12109
3-1/4"	.131	SMOOTH	2 M	12139
3-1/4"	.131	SCREW	2 M	12141
3-1/4"	.131	SMOOTH	4 M	12140
3-1/4"	.131	SCREW	4 M	12142
3-1/4"	.148	SMOOTH	3 M	12056
3-1/2"	.162	SMOOTH	3 M	12156

STAINLESS STEEL - 304				
Length	Dia	Shank	QTY	Item ID
2"	.113	RING	1 M	12005
2-3/8"	.113	RING	1 M	21054
3"	.120	RING	1 M	12012
3"	.120	RING	4 M	12067
3"	.131	SCREW	1 M	12077
3"	.131	RING	1 M	12078

STAINLESS STEEL - 316				
Length	Dia	Shank	QTY	Item ID
2"	.109	RING	1 M	12004
2-3/8"	.113	RING	1 M	12026
2-1/2"	.120	SCREW	1 M	12027
3"	.120	RING	1 M	12094
3"	.131	SCREW	1 M	12093
3"	.131	RING	1 M	12098
3-1/4"	.120	RING	1 M	12101
3-1/4"	.131	SCREW	1 M	12127

BRIGHT
Uncoated Steel Finish. Ideal for indoor projects.
Complies with ASTM F1667 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

HOT GALVANIZED
High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Complies with ASTM F1667 & A153 Standards.

STAINLESS STEEL
High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Ideal for use in Cedar, Redwood and Treated Lumber.

ALUMINUM
High Corrosion Protection.
Ideal for specialty exterior projects.
Do not use in treated lumber.


These Interchange PRO nails are designed to fit most brands of tools.

Interchange PRO DPS nails are used for framing, decking, sheathing, subflooring, truss construction and more applications.

The coating on Hot Galvanized nails could be hot dipped zinc, hot dipped wire zinc or thermal diffused zinc. All hot galvanized nails comply with ASTM A153 standards.

PT

30°-34° Clipped Head Paper Collated Nails



BRIGHT				
Length	Dia	Shank	QTY	Item ID
2"	.113	SMOOTH	5 M	10410
2"	.113	RING	5 M	10420
2-1/4"	.113	SMOOTH	1 M	10450
2-3/8"	.113	SMOOTH	2 M	10462
2-3/8"	.113	RING	2 M	10472
2-3/8"	.113	SMOOTH	5 M	10460
2-3/8"	.113	RING	5 M	10470
2-3/8"	.120	SMOOTH	5 M	10494
2-3/8"	.120	RING	5 M	10496
2-3/4"	.120	SMOOTH	2.5 M	13095
3"	.120	SMOOTH	2 M	10502
3"	.120	SMOOTH	2.5 M	10500
3"	.120	RING	2.5 M	10510
3"	.131	SMOOTH	2 M	10532
3"	.131	SMOOTH	2.5 M	10530
3"	.131	RING	2.5 M	10537
3-1/4"	.120	SMOOTH	2.5 M	10547
3-1/4"	.131	SMOOTH	2 M	10558
3-1/4"	.131	SMOOTH	2.5 M	10550
3-1/4"	.131	RING	2.5 M	10555
3-1/2"	.131	SMOOTH	2.5 M	10570



NSC83-34 PRO

Framing Nailer

Item ID. 65784

See Page 10



NSC90-34 PRO

Framing Nailer

Item ID. 65745

See Page 10

The NSC83-34 & NSC90-34 PRO tools can be used for both PT and PTOR Fasteners.

ELECTRO GALVANIZED				
Length	Dia	Shank	QTY	Item ID
2"	.113	RING	5 M	10440
2-3/8"	.113	SMOOTH	5 M	10480
2-3/8"	.113	RING	5 M	10490
3"	.120	RING	2.5 M	10520
3-1/4"	.120	RING	2.5 M	10548

HOT GALVANIZED				
Length	Dia	Shank	QTY	Item ID
2"	.113	RING	2 M	10780
2-3/8"	.113	SMOOTH	2 M	10782
2-3/8"	.113	RING	2 M	10784
2-3/8"	.113	SMOOTH	5 M	10485
2-3/8"	.113	RING	5 M	10495
2-3/8"	.120	RING	2 M	10788
2-3/8"	.120	RING	5 M	10492
3"	.120	RING	2 M	10790
3"	.120	RING	2.5 M	10525
3"	.131	SMOOTH	2 M	10792
3"	.131	SMOOTH	2.5 M	10545
3"	.131	RING	2.5 M	10546
3-1/4"	.120	RING	2 M	10793
3-1/4"	.120	RING	2.5 M	10549
3-1/4"	.131	SMOOTH	2 M	10794
3-1/4"	.131	RING	2 M	10796
3-1/4"	.131	SMOOTH	2.5 M	10565
3-1/4"	.131	RING	2.5 M	10567
3-1/2"	.131	SMOOTH	2 M	10798
3-1/2"	.131	RING	2 M	10799


These Interchange PRO nails are designed to fit most brands of tools.

Interchange PRO PT and PTOR nails are used for framing, decking, sheathing, siding, fencing and truss construction.

30°-34°
PAPER TAPE

PTOR

30°-34° Offset Round Head Paper Collated Nails



BRIGHT				
Length	**Dia**	**Shank**	**QTY**	**Item ID**
2"	.113	SMOOTH	5.5 M	54383
2-3/8"	.113	SMOOTH	5 M	10681
2-3/8"	.113	RING	5 M	10683
2-1/2"	.131	SMOOTH	2.5 M	10707
2-3/4"	.120	SMOOTH	3 M	10708
3"	.120	SMOOTH	2.5 M	10686
3"	.131	SMOOTH	2.5 M	10694
3-1/4"	.120	RING	2.5 M	10805
3-1/4"	.131	SMOOTH	2.5 M	10699

HOT GALVANIZED				
Length	**Dia**	**Shank**	**QTY**	**Item ID**
2"	.113	RING	2 M	10800
2-3/8"	.113	RING	2 M	10802
2-3/8"	.113	SMOOTH	5 M	10682
3"	.120	RING	2 M	10804
3"	.120	RING	2.5 M	10692
3"	.131	SMOOTH	2 M	54382
3"	.148	SMOOTH	2 M	50141
3-1/4"	.131	RING	2 M	10808
3-1/2"	.131	SMOOTH	2 M	54381

STAINLESS STEEL - 316				
Length	**Dia**	**Shank**	**QTY**	**Item ID**
2-3/8"	.113	RING	1 M	10679
3"	.120	RING	1 M	10693
3-1/4"	.120	RING	1 M	10701

REDLOCK® COATED NAILS
Exceeds standard holding power!



The coating on Hot Galvanized nails could be hot dipped zinc, hot dipped wire zinc or thermal diffused zinc. All hot galvanized nails comply with ASTM A153 standards.

BRIGHT
Uncoated Steel Finish. Ideal for indoor projects.
Complies with ASTM F1667 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.


HOT GALVANIZED
High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Complies with ASTM F1667 & A153 Standards.

STAINLESS STEEL
High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Ideal for use in Cedar, Redwood and Treated Lumber.

ALUMINUM
High Corrosion Protection.
Ideal for specialty exterior projects.
Do not use in treated lumber.

BW

28° Clipped Head - Wire Strip Collated Nails



BRIGHT				
Length	**Dia**	**Shank**	**QTY**	**Item ID**
2"	.113	SMOOTH	2 M	10011
2-3/8"	.113	SMOOTH	2 M	10041
2-3/8"	.113	RING	2 M	10051
3"	.120	SMOOTH	2 M	10081
3"	.131	SMOOTH	2 M	10101
3-1/4"	.120	SMOOTH	2 M	10121
3-1/4"	.131	SMOOTH	2 M	10131
3-1/2"	.131	SMOOTH	2 M	10151

ELECTRO GALVANIZED				
Length	**Dia**	**Shank**	**QTY**	**Item ID**
2-3/8"	.113	SMOOTH	2 M	10061
3"	.131	SMOOTH	2 M	10111

HOT GALVANIZED				
Length	**Dia**	**Shank**	**QTY**	**Item ID**
2"	.113	RING	2 M	10035
2-3/8"	.113	RING	2 M	10077
3"	.120	RING	2 M	10099
3-1/4"	.131	RING	2 M	10143

These Interchange PRO nails are designed to fit most brands of tools.

Interchange PRO BW nails are used for framing, subflooring, decking, sheathing, siding, truss construction and framing applications.




NSC83-28 PRO

Framing Nailer

Item ID. 65740

See Page 10



Find our Interchange PRO Air Hose on page 14.

PTJH

34° Round Head Paper Tape Collated Joist Nails



BRIGHT				
Length	Dia	Shank	QTY	Item ID
1-1/2"	.131	SMOOTH	4 M	10605
1-1/2"	.148	SMOOTH	1 M	10589
1-1/2"	.148	SMOOTH	3 M	10610
2-1/2"	.131	SMOOTH	2.5 M	10618
2-1/2"	.148	SMOOTH	2.5 M	10620
2-1/2"	.162	SMOOTH	2 M	10616

ELECTRO GALVANIZED				
Length	Dia	Shank	QTY	Item ID
1-1/2"	.131	SMOOTH	4 M	10604
1-1/2"	.148	SMOOTH	3 M	10609



NSJH38-34 PRO

Joist Hanger Nailer

Item ID. 65755

See Page 10



NSJH64-34 PRO

Joist Hanger Nailer

Item ID. 65760

See Page 10



HOT GALVANIZED				
Length	Dia	Shank	QTY	Item ID
1-1/2"	.131	SMOOTH	4 M	10606
1-1/2"	.148	SMOOTH	1 M	10590
1-1/2"	.148	SMOOTH	3 M	10608
2-1/2"	.148	SMOOTH	2.5 M	10612
2-1/2"	.162	SMOOTH	2 M	10617

Interchange PRO PTJH nails are used for joist hanging and metal connector installation applications.

The coating on Hot Galvanized nails could be hot dipped zinc, hot dipped wire zinc or thermal diffused zinc. All hot galvanized nails comply with ASTM A153 standards.



BRIGHT

Uncoated Steel Finish. Ideal for indoor projects.
Complies with ASTM F1667 Standards.

ELECTRO GALVANIZED

Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

ELECTRO GALVANIZED

Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

HOT GALVANIZED

High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Complies with ASTM F1667 & A153 Standards.

STAINLESS STEEL


High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Ideal for use in Cedar, Redwood and Treated Lumber.

ALUMINUM

High Corrosion Protection.
Ideal for specialty exterior projects.
Do not use in treated lumber.

HWCF

15° Round Head - Wire Coil Collated Nails




BRIGHT					
Pitch	Length	Dia	Shank	QTY	Item ID
6.8	1"	.083	RING	14 M	14873
6.8	1-1/8"	.083	RING	14M	16004
6.8	1-1/4"	.083	SMOOTH	14 M	16057
6.8	1-1/4"	.083	RING	16 M	16060
6.8	1-1/4"	.086	RING	10.5 M	16058
6.8	1-1/4"	.086	SCREW	10.5 M	16071
6.8	1-3/8"	.083	RING	6.3 M	80180
6.8	1-1/2"	.083	RING	14 M	80241
6.8	1-1/2"	.083	RING	16 M	16061
6.8	1-1/2"	.086	SCREW	10.5 M	16072
6.8	1-1/2"	.086	RING	10.5 M	16077
6.8	1-1/2"	.092	SCREW	9 M	16714
6.8	1-3/4"	.083	RING	16 M	16062
6.8	1-3/4"	.083	SMOOTH	6.3 M	13124
6.8	1-3/4"	.086	RING	10.5 M	14163
6.8	1-3/4"	.086	SCREW	10.5 M	16083
6.8	1-3/4"	.086	SCREW	14 M	16486
6.8	1-3/4"	.086	SCREW	14 M	16095
6.8	2"	.086	SCREW	9 M	16092
6.8	2"	.092	SCREW	9 M	16094
6.8	2-1/4"	.090	RING	9 M	16190
8.0	1-1/4"	.099	RING	9 M	16279
8.0	1-1/2"	.099	SMOOTH	12 M	16396
8.0	1-1/2"	.099	SCREW	14.4 M	38582
8.0	1-1/2"	.113	SMOOTH	4.5 M	16342
8.0	1-3/4"	.099	SCREW	12 M	16112
8.0	1-3/4"	.099	SCREW	9 M	16110
8.0	1-3/4"	.099	SCREW	9 M	16111
8.0	2"	.092	SCREW	9 M	16183
8.0	2"	.099	SCREW	9 M	16115
8.0	2"	.099	RING	9 M	16271
8.0	2"	.099	SCREW	9 M	16116
8.0	2"	.099	RING	9 M	19776
8.0	2"	.113	RING	3 M	16517
8.0	2"	.113	SCREW	9 M	16537
8.0	2"	.113	RING	9 M	16501
8.0	2-1/4"	.099	SCREW	9 M	16120
8.0	2-1/4"	.099	RING	9 M	13101
8.0	2-1/4"	.099	SCREW	9 M	16119
8.0	2-1/4"	.113	SMOOTH	4.5 M	16239
8.0	2-1/4"	.113	SCREW	6.75 M	16914
8.0	2-1/4"	.113	SCREW	6.75 M	16197
8.0	2-1/4"	.113	SCREW	9 M	16141
8.0	2-1/4"	.120	RING	2.5 M	80083
8.0	2-3/8"	.113	RING	3 M	16535
8.0	2-3/8"	.113	RING	4.5 M	16198
8.0	2-3/8"	.113	RING	5 M	16177

BRIGHT (cont.)					
Pitch	Length	Dia	Shank	QTY	Item ID
8.0	2-3/8"	.113	SMOOTH	5 M	16240
8.0	2-1/2"	.099	SCREW	9 M	16125
8.0	2-1/2"	.099	SCREW	9 M	16128
8.0	2-1/2"	.099	RING	9 M	16132
8.0	2-1/2"	.113	SCREW	6 M	16138
8.0	2-1/2"	.113	SCREW	6 M	16237
8.0	2-1/2"	.113	RING	6.75 M	36014
8.0	2-1/2"	.131	SMOOTH	4.2 M	14162
8.0	2-1/2"	.131	SMOOTH	4.5 M	16439
8.0	2-1/2"	.131	SCREW	4.5 M	16431
8.0	2-1/2"	.131	RING	4.5 M	16444
8.0	2-1/2"	.131	SMOOTH	5.6 M	14113
8.0	2-1/2"	.148	SMOOTH	4 M	16454
8.0	2-3/4"	.099	SCREW	5 M	16251
8.0	2-3/4"	.099	SCREW	5 M	16254
8.0	2-3/4"	.113	SCREW	4.5 M	16453
8.0	2-3/4"	.113	RING	4.5 M	16522
8.0	2-3/4"	.113	RING	6.75 M	16903
8.0	2-3/4"	.120	SCREW	4.5 M	16246
8.0	2-3/4"	.120	RING	4.5 M	19772
8.0	2-3/4"	.120	RING	4.5 M	16250
8.0	3"	.113	SCREW	5 M	16255
8.0	3"	.113	SCREW	5.4 M	48715
8.0	3"	.120	SMOOTH	2.5 M	16450
8.0	3"	.120	SCREW	4 M	16170
8.0	3"	.120	RING	4 M	16262
8.0	3"	.120	RING	4.5 M	16227
8.0	3"	.120	SMOOTH	4.5 M	16153
8.0	3"	.120	RING	4.5 M	16451
8.0	3"	.120	SCREW	4.5 M	16169
8.0	3"	.120	SCREW	6 M	16200
8.0	3"	.131	SMOOTH	2.5 M	16460
8.0	3"	.131	SMOOTH	4.2 M	16263
8.0	3"	.131	RING	4.2 M	16264
8.0	3"	.131	SMOOTH	4.5 M	16260
8.0	3"	.135	RING	4.5 M	16277
8.0	3"	.135	SMOOTH	4.5 M	16280
8.0	3-1/4"	.120	SMOOTH	4 M	16164
8.0	3-1/4"	.120	SCREW	4.5 M	16462
8.0	3-1/4"	.131	SMOOTH	4 M	16474
8.0	3-1/2"	.120	SCREW	2.5 M	19778
8.0	3-1/2"	.131	SCREW	2.5 M	16471
8.0	3-1/2"	.131	SCREW	4 M	16525
8.0	4"	.131	SMOOTH	3 M	16825
8.0	4"	.131	SCREW	4.5 M	13096
8.0	5"	.148	SMOOTH	1.8 M	19011

15° COIL NAIL

HWCF

15° Round Head - Wire Coil Collated Nails



ELECTRO GALVANIZED					
Pitch	Length	Dia	Shank	QTY	Item ID
6.8	1-3/4"	.086	SCREW	10.5 M	16285
8.0	1-3/4"	.099	SCREW	9 M	16234
8.0	2"	.099	SCREW	9 M	16527
8.0	2-1/4"	.099	SCREW	9 M	16163
8.0	2-3/8"	.113	SMOOTH	3 M	16442
8.0	2-3/8"	.113	Ring	4.5 M	16249
8.0	2-3/8"	.113	RING	5 M	16134
8.0	2-3/8"	.113	SMOOTH	5 M	16268
8.0	2-3/8"	.113	SCREW	5 M	80316
8.0	2-1/2"	.099	SCREW	9 M	16287
8.0	2-1/2"	.131	RING	4 M	16229
8.0	2-1/2"	.131	SCREW	4.5 M	16283
8.0	2-1/2"	.131	SMOOTH	4.5 M	16113
8.0	2-1/2"	.131	RING	4.5 M	16235
8.0	2-3/4"	.099	SCREW	5 M	16284
8.0	2-3/4"	.113	SCREW	4.5 M	16282
8.0	3"	.113	SCREW	5 M	16281
8.0	3"	.120	RING	4.5 M	16286
8.0	3"	.120	SMOOTH	4.5 M	16180
8.0	3"	.120	SCREW	4.5 M	16193
8.0	3"	.120	RING	4.5 M	16201
8.0	3"	.131	SMOOTH	4.5 M	16289
8.0	3-1/4"	.120	SMOOTH	4 M	16288
8.0	3-1/4"	.131	SMOOTH	4 M	16478
8.0	3-1/2"	.131	RING	4.5 M	13100

ELECTRO GALVANIZED					
Pitch	Length	Dia	Shank	QTY	Item ID
6.8	1-1/2"	.083	RING	16 M	16064
6.8	1-3/4"	.083	RING	16 M	16089
6.8	1-3/4"	.083	RING	16 M	16076
6.8	1-3/4"	.086	RING	10.5 M	16084
6.8	1-3/4"	.090	RING	9 M	14683
8.0	1-3/4"	.092	RING	3.6 M	16066
6.8	1-3/4"	.092	RING	3.6 M	16906
8.0	1-3/4"	.092	RING	9 M	16727
8.0	1-3/4"	.099	RING	9 M	16220
8.0	1-3/4"	.099	SMOOTH	9 M	16518
6.8	2"	.086	RING	10.5 M	13098
8.0	2"	.092	RING	3.6 M	16747
8.0	2"	.092	SMOOTH	3.6 M	16735
8.0	2"	.092	SMOOTH	9 M	16748
8.0	2"	.092	RING	9 M	16771
8.0	2"	.099	RING	1 M	16276
8.0	2"	.099	RING	9 M	16114
6.8	2-1/4"	.090	RING	9 M	16749
8.0	2-1/4"	.092	SMOOTH	3.6 M	16753
8.0	2-1/4"	.092	RING	3.6 M	16764
6.8	2-1/4"	.092	RING	3.6 M	16905
8.0	2-1/4"	.092	SMOOTH	9 M	16760
8.0	2-1/4"	.092	RING	9 M	80084
8.0	2-1/4"	.099	RING	9 M	16162
8.0	2-3/8"	.099	RING	9 M	16127
8.0	2-3/8"	.099	SMOOTH	9 M	16130

HWCF Listing Continued on Next Page ...



CN565-15 PRO
Siding Nailer
Item ID. 65765
See Page 10



CFN83 PRO
Coil Framer
Item ID. 65795
See Page 10



CFN90 PRO
Coil Framer
Item ID. 65796
See Page 10

BRIGHT
Uncoated Steel Finish. Ideal for indoor projects.
Complies with ASTM F1667 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

These Interchange PRO nails are designed to fit most brands of tools.

Interchange PRO HWCF and MWCL nails are used for siding, fencing, decking, shingles, subflooring, pallets and crafting.

HWCF

15° Round Head - Wire Coil Collated Nails



HOT GALVANIZED					
Pitch	Length	Dia	Shank	QTY	Item ID
8.0	1-1/4"	.092	RING	3.6 M	16063
8.0	1-1/2"	.092	RING	3.6 M	16720
6.8	1-1/2"	.092	RING	3.6 M	16715
6.8	1-3/4"	.086	RING	10.5 M	16736
8.0	1-3/4"	.092	RING	3.6 M	16745
8.0	1-3/4"	.092	RING	6 M	13102
8.0	1-3/4"	.099	RING	9 M	16521
6.8	2"	.090	RING	3.6 M	16082
8.0	2"	.092	RING	3.6 M	16743
6.8	2"	.092	RING	3.6 M	16912
8.0	2"	.092	RING	9 M	13103
8.0	2"	.099	RING	4.5 M	16272
8.0	2"	.099	RING	9 M	16172
8.0	2-1/4"	.092	SMOOTH	3.6 M	16761
8.0	2-1/4"	.092	RING	3.6 M	16766
8.0	2-3/8"	.113	RING	4 M	16211
8.0	2-1/2"	.092	RING	3.6 M	16770
8.0	2-1/2"	.131	SMOOTH	4.2 M	14165
8.0	2-1/2"	.131	SMOOTH	4.5 M	16135
8.0	2-1/2"	.131	RING	4.5 M	16228
8.0	3"	.120	SMOOTH	2.5 M	16195
8.0	3"	.120	RING	4 M	16179
8.0	3"	.120	SCREW	4 M	16458
8.0	3"	.120	SCREW	4.5 M	16256
8.0	3"	.120	RING	4.5 M	16257
8.0	3"	.131	SCREW	4 M	14277
8.0	3"	.131	SMOOTH	4.2 M	14278
8.0	3"	.131	RING	4.5 M	14279
8.0	3"	.131	SMOOTH	4.5 M	16265
8.0	3"	.148	SMOOTH	3 M	13086
8.0	3-1/4"	.131	RING	2.5 M	16491
8.0	3-1/4"	.131	SMOOTH	4 M	16464
8.0	3-1/2"	.131	RING	4.5 M	13116



CN565-15 PRO

Siding Nailer

Item ID. 65765

See Page 10

STAINLESS STEEL - 304					
Pitch	Length	Dia	Shank	QTY	Item ID
6.8	1-1/2"	.092	RING	1 M	16898
8.0	1-1/2"	.092	RING	3.6 M	16723
6.8	1-3/4"	.083	RING	3.6 M	80314
8.0	1-3/4"	.092	RING	3.6 M	16733
8.0	1-3/4"	.099	RING	9 M	16513
8.0	2"	.092	RING	3.6 M	19107
8.0	2-1/4"	.092	RING	3.6 M	16768
8.0	2-1/2"	.092	RING	3.6 M	16762

STAINLESS STEEL - 316					
Pitch	Length	Dia	Shank	QTY	Item ID
6.8	1-3/4"	.086	RING	3.6 M	16232
8.0	2"	.099	RING	3.6 M	16233
6.8	2-1/4"	.090	RING	3.6 M	16231

These Interchange PRO nails are designed to fit most brands of tools.

Interchange PRO HWCF nails are used for siding, fencing, decking, shingles, subflooring, pallets and crafting.


The coating on Hot Galvanized nails could be hot dipped zinc, hot dipped wire zinc or thermal diffused zinc. All hot galvanized nails comply with ASTM A153 standards.



15° COIL NAIL

MWCL

15° Round Head - Wire Coil - Large Coil Collated Nails



BRIGHT				
Length	Dia	Shank	QTY	Item ID
1-1/4"	.083	RING	14 M	16729
1-1/2"	.099	SCREW	9 M	16786
1-5/8"	.099	SMOOTH	9 M	13094
1-3/4"	.086	RING	4.5 M	16772
1-3/4"	.086	SCREW	9 M	16779
1-3/4"	.099	SCREW	9 M	16788
1-3/4"	.099	SCREW	9 M	16789
2"	.099	RING	8.4 M	16811
2"	.099	SCREW	9 M	16790
2"	.099	RING	9 M	16793
2"	.099	SCREW	9 M	16795
2"	.113	SMOOTH	7.5 M	19766
2"	.113	RING	7.5 M	19335
2-1/4"	.099	SCREW	9 M	16792
2-1/4"	.099	RING	9 M	16801
2-3/8"	.113	RING	5 M	13092
2-1/2"	.099	SCREW	9 M	16807
2-1/2"	.099	RING	9 M	16904
2-1/2"	.113	RING	5 M	16802
2-1/2"	.113	SCREW	6.75 M	16538
2-1/2"	.131	SMOOTH	4.5 M	18355
2-1/2"	.131	RING	5 M	16808
2-3/4"	.120	RING	4 M	16901
2-3/4"	.120	SMOOTH	4.2 M	19326
2-3/4"	.131	SMOOTH	3 M	13120
2-3/4"	.131	SMOOTH	5 M	16812
2-7/8"	.131	SMOOTH	4.5 M	24151
3"	.120	RING	3.9 M	18441
3"	.120	RING	4 M	16815
3"	.120	SCREW	4.5 M	16813
3"	.131	SMOOTH	5 M	16817
3-1/4"	.131	SMOOTH	4 M	16820
3-1/4"	.131	RING	4 M	12451
3-1/2"	.131	RING	4.5 M	13097



HOT GALVANIZED				
Length	Dia	Shank	QTY	Item ID
1-1/2"	.090	RING	14 M	16731
1-3/4"	.090	RING	9 M	16777
2-1/2"	.131	SMOOTH	4 M	16804
2-1/2"	.131	RING	5 M	13090
2-3/4"	.131	SMOOTH	5 M	16814
3"	.131	RING	4 M	13107
3"	.131	SMOOTH	5 M	12454
3"	.148	SMOOTH	3 M	13089
3"	.148	SMOOTH	4.2 M	13087
3-1/4"	.131	SMOOTH	4 M	16824
3-1/4"	.131	RING	4 M	12452
3-1/4"	.131	SMOOTH	5 M	13088
3-1/4"	.131	RING	5 M	13085
3-1/4"	.148	RING	4 M	19329
3-3/4"	.131	RING	5 M	47378
4"	.148	RING	4 M	19327
4"	.148	SMOOTH	4 M	19328

STAINLESS STEEL - 304				
Length	Dia	Shank	QTY	Item ID
1-1/2"	.086	RING	16 M	16717
1-1/2"	.092	RING	9 M	16778

BRIGHT
Uncoated Steel Finish. Ideal for indoor projects.
Complies with ASTM F1667 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

HOT GALVANIZED
High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Complies with ASTM F1667 & A153 Standards.

STAINLESS STEEL
High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Ideal for use in Cedar, Redwood and Treated Lumber.

15° COIL SIDING NAIL

MPC

15° Round Head - Plastic Sheet Collated Nails



ELECTRO GALVANIZED				
Length	Dia	Shank	QTY	Item ID
1-7/8”	.099	SMOOTH	6 M	16849

ELECTRO GALVANIZED				
Length	Dia	Shank	QTY	Item ID
2-1/4”	.092	SMOOTH	4.8 M	16858


HOT GALVANIZED				
Length	Dia	Shank	QTY	Item ID
1-3/4"	.092	RING	6 M	16862
2"	.092	SMOOTH	6 M	16846
2"	.092	RING	6 M	16847
2-1/4"	.092	SMOOTH	4.8 M	16860
2-1/4"	.092	RING	4.8 M	16861
2-1/2"	.092	SMOOTH	4.8 M	16878
2-1/2"	.092	RING	4.8 M	16880

STAINLESS STEEL - 304				
Length	Dia	Shank	QTY	Item ID
2"	.092	RING	6 M	16864

ALUMINUM				
Length	Dia	Shank	QTY	Item ID
1-7/8"	.099	SCREW	6 M	16844
1-7/8"	.099	RING	6 M	16845

These Interchange PRO nails are designed to fit most brands of tools.

Interchange PRO MPC nails are used for siding, fencing, shingle and decking applications.





CN565-15 PRO

Siding Nailer

Item ID. 65765

See Page 10



CFN90 PRO

Coil Nailer

Item ID. 65796

See Page 10

DPC

0º Round Head Plastic Sheet Collated Nails



BRIGHT				
Length	Dia	Shank	QTY	Item ID
1-1/2"	.105	SMOOTH	10.8 M	14006
2"	.099	SCREW	9 M	14020
2-1/4"	.099	SCREW	7.2 M	14032
4-1/2"	.148	SMOOTH	1.8 M	14045
5"	.148	SMOOTH	1.8 M	14036

ELECTRO GALVANIZED				
Length	Dia	Shank	QTY	Item ID
1-3/4"	.092	RING	10.8 M	16838
1-7/8"	.092	SMOOTH	9 M	14008
1-7/8"	.092	RING	9 M	14009
2-1/4"	.092	SMOOTH	7.2 M	14047
2-1/4"	.092	RING	7.2 M	14048
2-1/4"	.099	RING	7.2 M	14034

HOT GALVANIZED				
Length	Dia	Shank	QTY	Item ID
1-7/8"	.086	RING	3.6 M	14016
2-1/4"	.092	SMOOTH	3.6 M	14033
2-1/4"	.092	RING	7.2 M	14052
2-1/2"	.092	SMOOTH	4 M	14049

STAINLESS STEEL - 304				
Length	Dia	Shank	QTY	Item ID
1-7/8"	.086	RING	3.6 M	14018
1-7/8"	.099	RING	7.2 M	14011
2-1/4"	.099	RING	7.2 M	14012

ALUMINUM				
Length	Dia	Shank	QTY	Item ID
1-7/8”	.099	SCREW	9 M	14017



CN565-0 PRO
Siding Nailer
Item ID. 65770
See Page 10



These Interchange PRO nails are designed to fit most brands of tools.

Interchange PRO DPC nails are used for siding, fencing, shingle and decking applications.

BRIGHT
Uncoated Steel Finish. Ideal for indoor projects.
Complies with ASTM F1667 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

HOT GALVANIZED
High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Complies with ASTM F1667 & A153 Standards.

STAINLESS STEEL
High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Ideal for use in Cedar, Redwood and Treated Lumber.

ALUMINUM
High Corrosion Protection.
Ideal for specialty exterior projects.
Do not use in treated lumber.

DPRC

20º Round Head - Plastic Rope Coil Collated Nails



HOT GALVANIZED				
Length	Dia	Shank	QTY	Item ID
1-3/4"	.086	SCREW	12.8 M	52036
1-7/8"	.086	RING	12.8 M	52024

STAINLESS STEEL - 304				
Length	Dia	Shank	QTY	Item ID
1-3/4"	.086	SCREW	12.8 M	52037
1-7/8"	.086	RING	12.8 M	52023

These Interchange PRO nails are designed to fit most brands of tools.

Interchange PRO DPRC nails are used for siding, fencing, shingle and decking applications.



CN50-20 PRO

Plastic Coil Nailer

Item ID. 65781

See Page 10



BRIGHT
Uncoated Steel Finish. Ideal for indoor projects.
Complies with ASTM F1667 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both Indoor & Light Outdoor use.
Complies with ASTM F1667 & A641 Standards.

HOT GALVANIZED
High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Complies with ASTM F1667 & A153 Standards.

STAINLESS STEEL
High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Ideal for use in Cedar, Redwood and Treated Lumber.

ALUMINUM
High Corrosion Protection.
Ideal for specialty exterior projects.
Do not use in treated lumber.

CR

15° Wire Coil Collated Roofing Nails



ELECTRO GALVANIZED				
Length	**Dia**	**Shank**	**QTY**	**Item ID**
3/4"	.120	SMOOTH	7.2 M	16005
7/8"	.120	SMOOTH	7.2 M	16010
1"	.120	SMOOTH	7.2 M	16020
1-1/4"	.120	RING	1 M	16033
1-1/4"	.120	SMOOTH	7.2 M	16030
1-1/4"	.120	RING	7.2 M	16035
1-1/2"	.120	SMOOTH	7.2 M	16040
1-1/2"	.120	RING	7.2 M	16042
1-3/4"	.120	SMOOTH	7.2 M	16050
1-3/4"	.120	RING	7.2 M	16052

HOT GALVANIZED				
Length	**Dia**	**Shank**	**QTY**	**Item ID**
3/4"	.120	SMOOTH	7.2 M	16006
7/8"	.120	SMOOTH	7.2 M	19104
1"	.120	SMOOTH	7.2 M	16021
1-1/4"	.120	SMOOTH	7.2 M	16031
1-1/4"	.120	RING	7.2 M	16036
1-1/2"	.120	SMOOTH	7.2 M	16041
1-1/2"	.120	RING	7.2 M	16039
1-3/4"	.120	SMOOTH	7.2 M	16051
1-3/4"	.120	SMOOTH	7.2 M	14868
1-3/4"	.120	SMOOTH	7.2 M	16046
1-3/4"	.120	RING	7.2 M	16049

STAINLESS STEEL - 304				
Length	**Dia**	**Shank**	**QTY**	**Item ID**
3/4"	.120	RING	7.2 M	19106
7/8"	.120	RING	7.2 M	16529
1"	.120	RING	7.2 M	16530
1-1/4"	.120	RING	7.2 M	16037
1-1/2"	.120	RING	7.2 M	16533
1-3/4"	.120	RING	3.6 M	16045
1-3/4"	.120	RING	7.2 M	16534



CRN4500 PRO
Roofing Nailer
Item ID. 65750
See Page 10



CRN4500H PRO
Roofing Nailer
Item ID. 65785
See Page 10



Interchange PRO CR nails are used for asphalt and fiberglass shingles, roofing felt, foam and fiberboard sheathing and installation board.

The coating on Hot Galvanized nails could be hot dipped zinc, hot dipped wire zinc or thermal diffused zinc. All hot galvanized nails comply with ASTM A153 standards.

BA
25° Angled Finish Brads

DA
34° Angled Finish Brads

ELECTRO GALVANIZED				
Length	Gauge	POINT	QTY	Part No.
1-1/2"	15ga	CHISEL	3.5 M	22040
2"	15ga	CHISEL	3.5 M	22060
2-1/4"	15ga	CHISEL	3.5 M	22070
2-1/2"	15ga	CHISEL	3.5 M	22080
2-1/2"	15ga	CHISEL	5 M	22170

These Interchange PRO fasteners are designed to fit most brands of tools.



BRIGHT				
Length	Gauge	POINT	QTY	Part No.
1"	15ga	CHISEL	4 M	22115
1-1/4"	15ga	CHISEL	4 M	22125
1-1/4"	15ga	CHISEL	4 M	24110 *
1-1/2"	15ga	CHISEL	4 M	22135
1-1/2"	15ga	CHISEL	4 M	24115 *
1-3/4"	15ga	CHISEL	4 M	22145
2"	15ga	CHISEL	4 M	22155
2"	15ga	CHISEL	4 M	24130 *
2-1/4"	15ga	CHISEL	4 M	22165
2-1/2"	15ga	CHISEL	4 M	22175
2-1/2"	15ga	CHISEL	4 M	24145 *

ELECTRO GALVANIZED				
Length	Gauge	POINT	QTY	Part No.
1-1/2"	15ga	CHISEL	4 M	22136
1-3/4"	15ga	CHISEL	4 M	22146
2"	15ga	CHISEL	4 M	22156
2"	15ga	CHISEL	4 M	24135 *
2-1/2"	15ga	CHISEL	4 M	22176
2-1/2"	15ga	CHISEL	4 M	24150 *

STAINLESS STEEL - 304				
Length	Gauge	POINT	QTY	Part No.
2"	15ga	CHISEL	4 M	22163
2-1/2"	15ga	CHISEL	4 M	22177

** Industrial Fasteners feature a higher tensile strength*



DA250 PRO
Finish Nailer
Part No. 65778
See Page 11

16 GA STRAIGHT NAIL — PB

Medium Head Finish Nails

ELECTRO GALVANIZED				
Length	**Gauge**	**POINT**	**QTY**	**Part No.**
7/8"	16ga	CHISEL	2.5 M	21207
1"	16ga	CHISEL	2.5 M	21211
1-1/4"	16ga	CHISEL	2.5 M	21231
1-1/2"	16ga	CHISEL	2.5 M	21241
1-3/4"	16ga	CHISEL	2.5 M	21251
2"	16ga	CHISEL	2.5 M	21261
2-1/4"	16ga	CHISEL	2.5 M	21271
2-1/2"	16ga	CHISEL	2.5 M	21281
3"	16ga	CHISEL	2.5 M	21206

STAINLESS STEEL - 304				
Length	**Gauge**	**POINT**	**QTY**	**Part No.**
2"	16ga	CHISEL	2.5 M	21262
2-1/2"	16ga	CHISEL	2.5 M	21282

BRIGHT
Uncoated Steel Finish. Ideal for indoor projects.
Complies with ASTM F1667 Standards.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both indoor and light outdoor use.
Complies with ASTM F1667 & A641 Standards.

STAINLESS STEEL
High corrosion protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Ideal for use in Cedar, Redwood and Treated Lumber.



FN250 PRO
Finish Nailer
Part No. 65775
See Page 11

23 GA PIN NAIL — MP

23 Gauge Micro Pins

ELECTRO GALVANIZED				
Length	**Gauge**	**POINT**	**QTY**	**Part No.**
1/2"	23ga	DIAMOND	10 M	23220 *
5/8"	23ga	DIAMOND	10 M	23225 *
3/4"	23ga	DIAMOND	10 M	23219 *
1"	23ga	DIAMOND	10 M	23234 *
1-3/16"	23ga	DIAMOND	10 M	23235 *
1-1/4"	23ga	DIAMOND	10 M	23236 *
1-3/8"	23ga	DIAMOND	10 M	23238 *

** Industrial Fasteners feature a higher tensile strength*





MP3523 PRO
Micro Pin Nailer
Part No. 65790
See Page 11

PX / PY / PZ

Finish Nails

PX Finish Nails

18 Gauge Medium Head Brads

ELECTRO GALVANIZED				
Length	**Gauge**	**POINT**	**QTY**	**Part No.**
1/2"	18ga	CHISEL	5 M	23110
5/8"	18ga	CHISEL	5 M	23120
3/4"	18ga	CHISEL	5 M	23130
3/4"	18ga	CHISEL	5 M	22213
7/8"	18ga	CHISEL	5 M	23140
1"	18ga	CHISEL	5 M	23150
1-3/16"	18ga	CHISEL	5 M	23160
1-1/4"	18ga	CHISEL	5 M	23170
1-1/2"	18ga	CHISEL	5 M	23180
1-5/8"	18ga	CHISEL	5 M	23188
1-3/4"	18ga	CHISEL	5 M	23190
2"	18ga	CHISEL	5 M	23195



BN200 PRO

Brad Nailer

Part No. 65776

See Page 11

PY Finish Nails

18 Gauge Slight Head Brads

ELECTRO GALVANIZED				
Length	**Gauge**	**POINT**	**QTY**	**Part No.**
5/8"	18ga	CHISEL	5 M	23020
3/4"	18ga	CHISEL	5 M	23030
1"	18ga	CHISEL	5 M	23050

PZ Finish Nails

18 Gauge Headless Pins

ELECTRO GALVANIZED				
Length	**Gauge**	**POINT**	**QTY**	**Part No.**
1/2"	18ga	CHISEL	5 M	23200 *

** Industrial Fasteners feature a higher tensile strength*

These Interchange PRO nails are designed to fit most brands of tools.



BRIGHT

Uncoated Steel Finish. Ideal for indoor projects.
Complies with ASTM F1667 Standards.

ELECTRO GALVANIZED

Limited Corrosion Protection.
Ideal for both indoor and light outdoor use.
Complies with ASTM F1667 & A641 Standards.

STAINLESS STEEL

High corrosion protection - ACQ Approved.
Ideal for outdoor & high-moisture environments.
Ideal for use in Cedar, Redwood and Treated Lumber.

Notes

Explore our full line of products, sell sheets and more on your desktop or mobile devices!



Get our flyers & more digitally!

Scan the QR code.


www.Interchange-Pro.com
1-800-745-6735





Fine Wire Staples

20 - 22 Gauge



A Series

22 GA NARROW CROWN STAPLE

22 Gauge - 3/16" Crown
1/4" - 1/2" Leg

Length	Crown	POINT	QTY	Part No.
3/8”	3/16”	CHISEL	10 M	30007

B Series

22 GA MEDIUM CROWN STAPLE

22 Gauge - 1/2" Crown
1/4" - 1/2" Leg

Length	Crown	POINT	QTY	Part No.
1/4"	1/2"	CHISEL	10 M	30018
3/8"	1/2"	CHISEL	10 M	30020
1/2"	1/2"	CHISEL	10 M	30030

C Series

22 GA MEDIUM CROWN STAPLE

22 Gauge - 3/8" Crown
5/32" - 5/8" Leg

Length	Crown	POINT	QTY	Part No.
3/16"	3/8"	CHISEL	10 M	30305
1/4"	3/8"	CHISEL	10 M	30306
3/8"	3/8"	CHISEL	10 M	30309
1/2"	3/8"	CHISEL	10 M	30312
1/2"	3/8"	CHISEL	20 M	47376
9/16"	3/8"	CHISEL	10 M	30314
5/8"	3/8"	CHISEL	10 M	30316
5/8"	3/8"	CHISEL	12 M	47377
5/8"	3/8"	CHISEL	12 M	47374






S7116AL PRO
Upholstery Stapler
Part No. 65788
See Page 12



S7116 PRO
Upholstery Stapler
Part No. 65789
See Page 12

Fine Wire Staples

20 - 22 Gauge



22 GA NARROW CROWN STAPLE — D Series

22 Gauge - 3/16" Crown
5/8" Leg

Length	Crown	POINT	QTY	Part No.
5/8"	3/16"	CHISEL	10 M	30015

20 GA MEDIUM CROWN STAPLE — F Series

20 Gauge - 1/2" Crown
1/4" - 1/2" Leg

Length	Crown	POINT	QTY	Part No.
1/4"	1/2"	CHISEL	5 M	30405
3/8"	1/2"	CHISEL	5 M	30409
1/2"	1/2"	CHISEL	5 M	30412

20 GA MEDIUM CROWN STAPLE — G Series

20 Gauge - 3/8" Crown
1/2" Leg

Length	Crown	POINT	QTY	Part No.
1/2"	3/8"	CHISEL	5 M	30065

20 GA NARROW CROWN STAPLE — 5400 Series

20 Gauge - 3/16" Crown
1/2" Leg

Length	Crown	POINT	QTY	Part No.
3/8"	3/16"	CHISEL	5 M	30609
9/16"	3/16"	DIVERGENT	5 M	30614

These Interchange PRO staples are designed to fit most brands of tools.

Interchange PRO Fine Wire Staples are used for screening, light trim, mouldings, picture frames, cabinet backing, weather stripping, insulation, roofing felt, upholstery, building paper and carpet and pad.

ELECTRO GALVANIZED


Limited Corrosion Protection.
Ideal for both indoor & light outdoor use.
Complies with ASTM F1667 & A641 Standards.

STAINLESS STEEL

High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high moisture environments.
Ideal for use in Cedar, Redwood and Treated Lumber.

Medium Wire Staples

18 - 19 Gauge



18 GA MEDIUM CROWN STAPLE — J Series

18 Gauge - 7/16" Crown
3/8" - 5/8" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
5/8"	7/16"	CHISEL	5 M	30075

19 GA NARROW CROWN STAPLE — K Series

19 Gauge - 1/4" Crown
3/4" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
5/8"	1/4"	CHISEL	5 M	30040

18 GA NARROW CROWN STAPLE — L Series

18 Gauge - 1/4" Crown
3/8" - 1-1/2" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
3/8"	1/4"	CHISEL	5 M	32302
1/2"	1/4"	CHISEL	5 M	32261 *
1/2"	1/4"	CHISEL	5 M	32305
5/8"	1/4"	CHISEL	5 M	32263 *
5/8"	1/4"	CHISEL	5 M	32310
3/4"	1/4"	CHISEL	5 M	32264 *
3/4"	1/4"	CHISEL	5 M	32320
7/8"	1/4"	CHISEL	5 M	32265 *
7/8"	1/4"	CHISEL	5 M	32330
1"	1/4"	CHISEL	5 M	32266 *
1"	1/4"	CHISEL	5 M	32340
1-1/8"	1/4"	CHISEL	5 M	32267 *
1-1/8"	1/4"	CHISEL	5 M	32345
1-1/4"	1/4"	CHISEL	5 M	32268 *
1-1/4"	1/4"	CHISEL	5 M	32350
1-3/8"	1/4"	CHISEL	5 M	30207
1-1/2"	1/4"	CHISEL	5 M	32270 *
1-1/2"	1/4"	CHISEL	5 M	32360


** Industrial Fasteners feature a higher tensile strength*



SL150 PRO
Narrow Crown Stapler
Part No. 65777
See Page 11

Medium Wire Staples

18 - 19 Gauge



18GA STAPLE — SX Series

18 Gauge - 7/32" Crown
5/8" - 1-3/8" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
5/8"	7/32"	CHISEL	5 M	30210
3/4"	7/32"	CHISEL	5 M	30220
7/8"	7/32"	CHISEL	5 M	30230
1"	7/32"	CHISEL	5 M	30240
1-1/8"	7/32"	CHISEL	3 M	30245
1-3/16"	7/32"	CHISEL	3 M	30248
1-1/4"	7/32"	CHISEL	3 M	30249
1-3/8"	7/32"	CHISEL	3 M	30251

18GA NARROW CROWN STAPLE — GSN Series

18 Gauge - 3/16" Crown
5/8" - 1-1/2" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
5/8"	3/16"	CHISEL	5 M	32110
3/4"	3/16"	CHISEL	5 M	32120
7/8"	3/16"	CHISEL	5 M	32130
1"	3/16"	CHISEL	5 M	32140
1-1/8"	3/16"	CHISEL	5 M	32145
1-1/4"	3/16"	CHISEL	5 M	32150
1-1/2"	3/16"	CHISEL	5 M	32160

18GA MEDIUM CROWN STAPLE — M Series

18 Gauge - 3/8" Crown
3/8" - 1-1/2" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
3/8"	3/8"	CHISEL	5 M	32416
1/2"	3/8"	CHISEL	5 M	32405
5/8"	3/8"	CHISEL	5 M	32411
3/4"	3/8"	CHISEL	5 M	32415
7/8"	3/8"	CHISEL	5 M	32417
1"	3/8"	CHISEL	5 M	32420
1-1/8"	3/8"	CHISEL	5 M	32422
1-1/4"	3/8"	CHISEL	5 M	32425
1-1/2"	3/8"	CHISEL	5 M	32430



SM125LN PRO
"M" Wire Stapler
Part No. 65780
See Page 11



SM150V PRO
"M" Wire Stapler
Item ID. 65782
See Page 11

These Interchange PRO staples are designed to fit most brands of tools.


Interchange PRO Medium Wire Staples are used for cabinet building, underlayment, mouldings, aluminum and steel siding, soffit and fascia.

ELECTRO GALVANIZED
Limited Corrosion Protection.
Ideal for both indoor & light outdoor use.
Complies with ASTM F1667 & A641 Standards.

STAINLESS STEEL
High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high moisture environments.
Ideal for use in Cedar, Redwood and Treated Lumber.

Heavy Wire Staples

14 - 16 Gauge



16 GA MEDIUM CROWN STAPLE

N Series

16 Gauge - 7/16" Crown
3/8" - 2" Leg

STAINLESS STEEL - 304				
Length	Crown	POINT	QTY	Part No.
1-1/4"	7/16"	CHISEL	10 M	34252
1-1/2"	7/16"	CHISEL	10 M	34262
1-3/4"	7/16"	CHISEL	10 M	34272
2"	7/16"	CHISEL	10 M	34282



SN5016 PRO
Medium Crown Stapler
Part No. 65771
See Page 11

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
1/2"	7/16"	CHISEL	10 M	34220
5/8"	7/16"	CHISEL	10 M	34227
3/4"	7/16"	CHISEL	10 M	34228
3/4"	7/16"	CHISEL	10 M	34229
3/4"	7/16"	DIVERGENT	10 M	54384
7/8"	7/16"	CHISEL	10 M	34232
1"	7/16"	CHISEL	10 M	34241
1"	7/16"	DIVERGENT	10 M	34343
1-1/8"	7/16"	CHISEL	10 M	34246
1-1/8"	7/16"	DIVERGENT	10 M	34247
1-1/4"	7/16"	CHISEL	10 M	34251
1-1/4"	7/16"	DIVERGENT	10 M	34253
1-3/8"	7/16"	CHISEL	10 M	34256
1-1/2"	7/16"	CHISEL	10 M	34261
1-3/4"	7/16"	CHISEL	10 M	34271
2"	7/16"	CHISEL	10 M	34281

16 GA WIDE CROWN STAPLE

P Series

16 Gauge - 1" Crown
3/8" - 2" Leg



SP4016 PRO
Wide Crown Stapler
Part No. 65772
See Page 11

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
5/8"	1"	CHISEL	10 M	36211
3/4"	1"	CHISEL	10 M	36221
7/8"	1"	CHISEL	10 M	36231
1"	1"	CHISEL	10 M	36241
1-1/4"	1"	CHISEL	10 M	36251
1-1/4"	1"	CHISEL	10 M	36252
1-1/2"	1"	CHISEL	10 M	36262
1-1/2"	1"	CHISEL	10 M	36263 *
1-3/4"	1"	CHISEL	5 M	36270
2"	1"	CHISEL	5 M	36280

** Industrial Fasteners feature a higher tensile strength*

15 GA MEDIUM CROWN Q-WIRE STAPLE


Q Series

15 Gauge - 7/16" Crown
1-1/4" - 2-1/2" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
1-1/4"	7/16"	CHISEL	5 M	38255
1-1/2"	7/16"	CHISEL	5 M	38260
1-3/4"	7/16"	CHISEL	5 M	38270
2"	7/16"	CHISEL	5 M	38280
2-1/2"	7/16"	CHISEL	5 M	38290

Heavy Wire Staples

14 - 16 Gauge



16 GA WIDE CROWN STAPLE — BCS Wide Crown

16 Gauge - 1" Crown
3/4" - 2" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
5/8"	1"	CHISEL	10 M	36016
3/4"	1"	CHISEL	10 M	36019
7/8"	1"	CHISEL	10 M	36021
1"	1"	CHISEL	10 M	36025
1-1/4"	1"	CHISEL	10 M	36033
1-1/2"	1"	CHISEL	10 M	36039
1-3/4"	1"	CHISEL	10 M	36045
2"	1"	CHISEL	5 M	36050

16 GA MEDIUM CROWN STAPLE — BCS Med Crown

16 Gauge - 1/2" Crown
1" - 2" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
1"	1/2"	CHISEL	10 M	34441
1-1/4"	1/2"	CHISEL	10 M	34451
1-1/2"	1/2"	CHISEL	10 M	34461
1-3/4"	1/2"	CHISEL	10 M	34471
2"	1/2"	CHISEL	10 M	34481

FS FLOORING STAPLE — BCS-FS Series

15 Gauge - 1/2" Crown
1-1/2" - 2" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
1-1/2"	1/2"	CHISEL	9.66 M	38165
2"	1/2"	CHISEL	7.72 M	38185

ELECTRO GALVANIZED

Limited Corrosion Protection.
Ideal for both indoor & light outdoor use.
Complies with ASTM F1667 & A641 Standards.

STAINLESS STEEL

High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high moisture environments.
Ideal for use in Cedar, Redwood and Treated Lumber.

These Interchange PRO staples are designed to fit most brands of tools.

Interchange PRO Heavy Wire Staples are used for cedar and shake shingles; subflooring; wall sheathing; roof decking; aluminum, steel and composition siding; lathing; bridging; component assembly and fencing.

FC FLOORING CLEAT — LCN Series


16 Gauge
2" Leg



BRIGHT				
Length	Crown	POINT	Qty	Part No.
2"	———	———	5 M	25300

Heavy Wire Staples

14 - 16 Gauge



16 GA MEDIUM CROWN STAPLE

GS16 Series

16 Gauge - 1/2" Crown
3/4" - 2" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
3/4"	1/2"	CHISEL	10 M	34135
1"	1/2"	CHISEL	10 M	34141
1-1/4"	1/2"	CHISEL	10 M	34151
1-1/2"	1/2"	CHISEL	10 M	34161
1-3/4"	1/2"	CHISEL	5 M	34174
1-3/4"	1/2"	CHISEL	10 M	34171
2"	1/2"	CHISEL	10 M	34181

STAINLESS STEEL - 304				
Length	Crown	POINT	QTY	Part No.
1-1/4"	1/2"	CHISEL	10 M	34152
1-1/2"	1/2"	CHISEL	10 M	34162
1-3/4"	1/2"	CHISEL	10 M	34172
2"	1/2"	CHISEL	1 M	34182

14 GA WIDE CROWN STAPLE

GSW 14 Ga

14 Gauge - 15/16" Crown
7/8" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
7/8"	15/16"	CHISEL	10 M	25167
7/8"	15/16"	CHISEL	5 M	36105

16 GA WIDE CROWN STAPLE

GSW 16 Ga

16 Gauge - 15/16" Crown
5/8" - 2" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
5/8"	15/16"	CHISEL	10 M	36100
7/8"	15/16"	CHISEL	10 M	36121
1"	15/16"	CHISEL	10 M	36125
1-1/4"	15/16"	CHISEL	10 M	36133
1-1/2"	15/16"	CHISEL	10 M	36137
1-3/4"	15/16"	CHISEL	5 M	36144
2"	15/16"	CHISEL	10 M	36180
2"	15/16"	CHISEL	5 M	36150

16 GA MEDIUM CROWN STAPLE DUO-FAST


7600 Series

16 Gauge - 7/16" Crown
1" - 2" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
1"	7/16"	CHISEL	10 M	34341
1-1/4"	7/16"	CHISEL	10 M	34351
1-1/2"	7/16"	CHISEL	10 M	34361
1-3/4"	7/16"	CHISEL	10 M	34371
2"	7/16"	CHISEL	10 M	34381

Tacker Staples

20 - 23 Gauge



20GA MEDIUM CROWN STAPLE — 5000 Series

20 Gauge - 1/2" Crown
1/4" - 9/16" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
1/4"	1/2"	CHISEL	5 M	30810
5/16"	1/2"	CHISEL	5 M	30820
5/16"	1/2"	CHISEL	5 M	30821
3/8"	1/2"	CHISEL	5 M	30830
1/2"	1/2"	CHISEL	5 M	30835
9/16"	1/2"	CHISEL	5 M	30840

A11 TACKER — A11 Series

20 Gauge - 3/8" Crown
1/4" - 9/16" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
1/4"	3/8"	CHISEL	5 M	30516
5/16"	3/8"	CHISEL	5 M	30517
3/8"	3/8"	CHISEL	5 M	30519
1/2"	3/8"	CHISEL	5 M	30521
9/16"	3/8"	CHISEL	5 M	30523

A19 TACKER — A19 Series

23 Gauge - 3/8" Crown
1/4" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
1/4"	3/8"	CHISEL	5 M	30506

STAINLESS STEEL - 304				
Length	Crown	POINT	QTY	Part No.
1/4"	3/8"	CHISEL	5 M	30019

SHCR TACKER — SHCR Series

20 Gauge - 3/8" Crown
3/8" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
3/8"	3/8"	CHISEL	5 M	30710

STCR TACKER 2619 — STCR 2619 Series

23 Gauge - 7/16" Crown
1/4" - 9/16" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
5/16"	7/16"	CHISEL	5 M	30716

STCR TACKER 5019 — STCR 5019 Series

20 Gauge - 3/8" Crown
1/4" - 9/16" Leg

ELECTRO GALVANIZED				
Length	Crown	POINT	QTY	Part No.
1/4"	3/8"	CHISEL	5 M	30719
3/8"	3/8"	CHISEL	5 M	30720
9/16"	3/8"	CHISEL	5 M	30730



A11 HT PRO

Hammer Tacker Stapler

Part No. 64210

See Page 12

These Interchange PRO staples are designed to fit most brands of tools.

ELECTRO GALVANIZED

Limited Corrosion Protection.
Ideal for both indoor & light outdoor use.
Complies with ASTM F1667 & A641 Standards.

STAINLESS STEEL

High Corrosion Protection - ACQ Approved.
Ideal for outdoor & high moisture environments.
Ideal for use in Cedar, Redwood and Treated Lumber.

1 lb & 5 lb Bulk Nails

Bright / Vinyl Ideal for indoor projects. Excellent holding power & a clean finish for framing, carpentry and woodworking.

Electro Galvanized Ideal for both indoor & light outdoor use. Ensuring strength & protection with its added corrosion resistance coating.

Hot Galvanized Ideal for outdoor & high-moisture environments. Durable & rust-resistant. ACQ Approved

Interchange Pro nails are made from premium-grade steel and engineered for superior performance and durability. Ideal for framing, finishing and specialty applications.

FINISH NAILS

Avaliable in 1 lb

Bright



Ideal for attaching trim and finishing work with a concealed head. Not suggested for treated lumber or exterior projects.

Hot Galvanized ACQ APPROVED



Ideal for attaching trim and finishing work with a concealed head. High corrosion protection. Recommended for treated lumber.

CASING NAILS

Avaliable in 1 lb

Hot Galvanized ACQ APPROVED

Ideal for attaching case molding for windows or doors. High corrosion protection. Recommended for treat lumber.

COMMON NAILS

Avaliable in 1 lb 5 lb

Bright



Ideal for framing and general construction. Not suggested for treated lumber or exterior projects.

Hot Galvanized ACQ APPROVED



Ideal for framing and general construction. High corrosion protection. Recommended for treated lumber.

BOX NAILS

Avaliable in 1 lb 5 lb

Bright



Ideal for light duty construction such as boxes and crates. Not suggested for treated lumber or exterior projects.

Hot Galvanized ACQ APPROVED



Ideal for light duty construction such as boxes and crates. High corrosion protection. Recommended for treated lumber.

SINKER NAILS

Avaliable in 1 lb 5 lb

Bright



Ideal for framing, carpentry and general construction. Not suggested for treated lumber or exterior projects.

DUPLEX NAILS

Avaliable in 1 lb 5 lb

Bright



For temporary structures such as scaffolds and framework. Not suggested for treated lumber or exterior projects.

JOIST HANGER NAILS

Avaliable in 1 lb 5 lb

Bright



Ideal for attaching joist hangers to wood framework. Not suggested for treated lumber or exterior projects.

Hot Galvanized ACQ APPROVED



Ideal for attaching trim and finishing work with a concealed head. High corrosion protection. Recommended for treated lumber.

Get our flyer digitally!

Scan the QR code.



SOLD IN RECLOSABLE COMPACT BOXES

1 lb & 5 lb Bulk Nails

Bright / Vinyl Ideal for indoor projects. Excellent holding power & a clean finish for framing, carpentry and woodworking.

Electro Galvanized Ideal for both indoor & light outdoor use. Ensuring strength & protection with its added corrosion resistance coating.

Hot Galvanized Ideal for outdoor & high-moisture environments. Durable & rust-resistant. ACQ Approved

FLUTED MASONRY NAILS

Avaliable in 1 lb

Bright



Ideal for attaching wood to uncured concrete or masonry.
Not suggested for treated lumber or exterior projects.

CUT MASONRY NAILS

Avaliable in 1 lb 5 lb

Bright



Ideal for attaching wood to brick and concrete. Not suggested for treated lumber or exterior projects.

Hot Galvanized



ACQ APPROVED

Ideal for attaching wood to brick and concrete. High corrosion protection.
Recommended for treated lumber.

ROOFING NAILS

Avaliable in 1 lb 5 lb

Electro Galvanized



For asphalt roofing installation. Limited corrosion protection.

ROOFING NAILS W/ NEOPRENE WSHR

Avaliable in 1 lb 5 lb

Electro Galvanized



Ideal for steel and fiberglass roofing. Limited corrosion protection.

PLASTIC CAP

Avaliable in 1 lb

Electro Galvanized



For asphalt roofing installation. Limited corrosion protection.

UNDERLAYMENT NAILS

Avaliable in 1 lb

Bright



Ideal for fastening plywood or composition underlayment over existing subfloor.
Not suggested for treated lumber or exterior projects.

PATIO/DECK NAILS

Avaliable in 1 lb

Hot Galvanized



ACQ APPROVED

Ideal for patio and deck construction. High corrosion protection.
Recommended for treated lumber.

POLE BARN NAILS

Avaliable in 1 lb 5 lb

Bright



Ideal for load-bearing, wood framed structures where high holding strength is necessary. Not suggested fro treated lumber or exterior projects.

1 lb & 5 lb Bulk Nails

Bright / Vinyl Ideal for indoor projects. Excellent holding power & a clean finish for framing, carpentry and woodworking.

Electro Galvanized Ideal for both indoor & light outdoor use. Ensuring strength & protection with its added corrosion resistance coating.

Hot Galvanized Ideal for outdoor & high-moisture environments. Durable & rust-resistant. ACQ Approved

Interchange Pro nails are made from premium-grade steel and engineered for superior performance and durability. Ideal for framing, finishing and specialty applications.

BOX NAILS

Length	Penny	Shank	Finish	Item ID - 1lb	Item ID - 5lb	Description
2"	6D	SMOOTH	Bright	N/A	45121	Box 6D 2In Smooth Bright
2-1/2"	8D			45124	N/A	Box 8D 2.5In Smooth Bright
3"	10D			45126	N/A	Box 10D 3In Smooth Bright
3-1/4"	12D			45127	N/A	Box 12D 3.25In Smooth Bright
3-1/2"	16D			45129	N/A	Box 16D 3.5In Smooth Bright
2"	6D		Hot Galvanized	45123	45381	Box 6D 2In Smooth Hot Galvanized
2-1/2"	8D			45125	45382	Box 8D 2.5In Smooth Hot Galvanized
3-1/4"	12D			45128	N/A	Box 12D 3.25In Smooth Hot Galvanized
3-1/2"	16D			45130	45378	Box 16D 3.5In Smooth Hot Galvanized

CASING NAILS

Length	Penny	Shank	Finish	Item ID - 1lb	Item ID - 5lb	Description
2"	6D	SMOOTH	Hot Galvanized	45141	N/A	Casing 6D 2In Smooth Hot Galvanized
2-1/2"	8D			45142		Casing 8D 2.5In Smooth Hot Galvanized
3-1/2"	16D			45144		Casing 16D 3.5In Smooth Hot Galvanized

COMMON NAILS

Length	Penny	Shank	Finish	Item ID - 1lb	Item ID - 5lb	Description
2"	6D	SMOOTH	Bright	45095	45096	Common 6D 2In Smooth Bright
2-1/2"	8D			45102	45103	Common 8D 2.5In Smooth Bright
3"	10D			45106	45107	Common 10D 3In Smooth Bright
3-1/4"	12D			45111	45112	Common 12D 3.25In Smooth Bright
3-1/2"	16D			45115	45116	Common 16D 3.5In Smooth Bright
2"	6D		Hot Galvanized	45097	45099	Common 6D 2In Smooth Hot Galvanized
2-1/2"	8D			45104	45105	Common 8D 2.5In Smooth Hot Galvanized
3"	10D			45108	45109	Common 10D 3In Smooth Hot Galvanized
3-1/4"	12D			45113	45114	Common 12D 3.25In Smooth Hot Galvanized
3-1/2"	16D			45117	45119	Common 16D 3.5In Smooth Hot Galvanized

CUT MASONRY NAILS

Length	Penny	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
1-1/2"	4D	N/A	Bright	45204	N/A	Cut Masonry 4D 1.5in Bright
2-1/2"	8D			45205	45384	Cut Masonry 8D 2.5in Bright
2-1/2"	8D		Hot Galvanized	45237	45239	Cut Masonry 8D 2.5in Hot Galvanized

DRYWALL NAILS

Length	Gauge	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
1-3/8"	13ga	SMOOTH	Phosphate	45410	45411	Drywall 13ga 1.375in Smooth Phosphate
1-5/8"	13ga			45416	45413	Drywall 13ga 1.625in Smooth Phosphate

DUPLEX NAILS

Length	Penny	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
2-1/4"	8D	SMOOTH	Bright	45145	45146	Duplex 8D 2.25in Smooth Bright
3"	16D			45149	45152	Duplex 16D 3in Smooth Bright

1 lb & 5 lb Bulk Nails

Bright / Vinyl Ideal for indoor projects. Excellent holding power & a clean finish for framing, carpentry and woodworking.

Electro Galvanized Ideal for both indoor & light outdoor use. Ensuring strength & protection with its added corrosion resistance coating.

Hot Galvanized Ideal for outdoor & high-moisture environments. Durable & rust-resistant. ACQ Approved

FENCE STAPLES

Length	Gauge	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
1-1/4"	9ga	--	Hot Galvanized	45206	N/A	Fence Staples 9ga 1.25in Hot Galvanized
1-1/2"	9ga			45207		Fence Staples 9ga 1.5in Hot Galvanized

FINISH NAILS

Length	Penny	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
1-1/4"	3D	SMOOTH	Bright	45159	N/A	Finish 3D 1.25in Smooth Bright
1-1/2"	4D			45162		Finish 4D 1.5in Smooth Bright
2"	6D			45164		Finish 6D 2in Smooth Bright
2-1/2"	8D			45166		Finish 6D 2in Smooth Bright
3"	10D			45169		Finish 10D 3in Smooth Bright
3-1/2"	16D			45172		Finish 16D 3.5in Smooth Bright
1-1/4"	3D		Hot Galvanized	45161		Finish 3D 1.25in Smooth Hot Galvanized
1-1/2"	4D			45163		Finish 4D 1.5in Smooth Hot Galvanized
2"	6D			45165		Finish 6D 2in Smooth Hot Galvanized
2-1/2"	8D			45167		Finish 8D 2.5in Smooth Hot Galvanized
3"	10D			45171		Finish 10D 3in Smooth Hot Galvanized
3-1/2"	16D			45173		Finish 16D 3.5in Smooth Hot Galvanized

FLUTED MASONRY NAILS

Length	Diameter	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
3/4"	N/A	FLUTED	Bright	45193	N/A	Fluted Masonry Nails 1in Fluted Bright
1"				45195		Fluted Masonry Nails 1.5in Fluted Bright
1-1/4"				45196		Fluted Masonry Nails 1.25in Fluted Bright
1-1/2"				45197		Fluted Masonry Nails 2in Fluted Bright
2"				45198		Fluted Masonry Nails 2.5in Fluted Bright
2-1/2"				45199		Fluted Masonry Nails 3in Fluted Bright
3"				45203		Fluted Masonry Nails 0.75in Fluted Bright

JOIST HANGER NAILS

Length	Gauge	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
1-1/2"	9ga	SMOOTH	Bright	45153	45154	Joist Hanger 9ga 1.5in Smooth Bright
2-1/2"	8ga			N/A	45383	Joist Hanger 8ga 2.5in Smooth Bright
1-1/2"	9ga		Hot Galvanized	45155	45156	Joist Hanger 9ga 1.5in Smooth Hot Galvanized
2-1/2"	8ga			45157	45158	Joist Hanger 8ga 2.5in Smooth Hot Galvanized

PATIO AND DECK NAILS

Length	Penny	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
2"	6D	RING	Hot Galvanized	45213	N/A	Patio/Deck 6D 2in Ring Hot Galvanized
2"	6D	SCREW		45209		Patio/Deck 6D 2in Screw Hot Galvanized
2-1/2"	8D	RING		45215		Patio/Deck 8D 2.5in Ring Hot Galvanized
2-1/2"	8D	SCREW		45214		Patio/Deck 8D 2.5in Screw Hot Galvanized
3-1/4"	12D	RING		45216		Patio/Deck 16D 3.5in Ring Hot Galvanized
3-1/2"	16D	RING		45219		Patio/Deck 16D 3.5in Screw Hot Galvanized
3-1/2"	16D	SCREW		45217		Patio/Deck 12D 3.25in Ring Hot Galvanized

1 lb & 5 lb Bulk Nails

Bright / Vinyl Ideal for indoor projects. Excellent holding power & a clean finish for framing, carpentry and woodworking.

Electro Galvanized Ideal for both indoor & light outdoor use. Ensuring strength & protection with its added corrosion resistance coating.

Hot Galvanized Ideal for outdoor & high-moisture environments. Durable & rust-resistant. ACQ Approved

Interchange Pro nails are made from premium-grade steel and engineered for superior performance and durability. Ideal for framing, finishing and specialty applications.

PLASTIC CAP NAILS

Length	Gauge	Shank	Coating	Item ID - 1lb	Item IDo - 5lb	Description
1"	12ga	RING	Electro Galvanized	45189	N/A	Plastic Cap 12ga 1in Ring Electro Galvanized
1-1/2"	12ga			45191		Plastic Cap 12ga 1.5in Ring Electro Galvanized
2"	12ga			45192		Plastic Cap 12ga 2in Ring Electro Galvanized

POLE BARN NAILS

Length	Penny	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
2-1/2"	8D	RING	Bright	45233	N/A	Pole Barn 8D 2.5in Ring Bright
3"	10D			N/A	45235	Pole Barn 10D 3in Ring Bright
3-1/2"	16D			N/A	45236	Pole Barn 16D 3.5in Ring Bright

POULTRY NET STAPLES

Length	Diameter	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
3/4"	N/A	N/A	Hot Galvanized	45221	N/A	Poultry Net Staples 0.75in Hot Galvanized

ROOFING NAILS

Length	Gauge	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
3/4"	11ga	SMOOTH	Electro Galvanized	45174	45331	Roofing 11ga 0.75in Smooth Electro Galvanized
7/8"	11ga			45328	45332	Roofing 11ga 0.875in Smooth Electro Galvanized
1"	11ga			45175	45176	Roofing 11ga 1in Smooth Electro Galvanized
1-1/4"	11ga			45177	45179	Roofing 11ga 1.25in Smooth Electro Galvanized
1-1/2"	11ga			45180	45333	Roofing 11ga 1.5in Smooth Electro Galvanized
1-3/4"	11ga			45181	45183	Roofing 11ga 1.75in Smooth Electro Galvanized
1-3/4"	10ga	RING		45240	45241	Roofing 10ga 1.75in Ring Electro Galvanized w/NEOPRENE WASHER
2"	11ga			45184	N/A	Roofing 11ga 2in Ring Electro Galvanized
2"	11ga	SMOOTH		45186	45187	Roofing 11ga 2in Smooth Electro Galvanized
2-1/2"	11ga			45329	45334	Roofing 11ga 2.5in Smooth Electro Galvanized
3"	11ga			45330	45336	Roofing 11ga 3in Smooth Electro Galvanized

SINKER NAILS

Length	Penny	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
1-7/8"	6D	SMOOTH	Vinyl	45131	45132	Sinker 6D 1.875in Smooth Vinyl
2-3/8"	8D			45133	45134	Sinker 8D 2.375in Smooth Vinyl
3-1/8"	12D			45135	45136	Sinker 16D 3.25in Smooth Vinyl
3-1/4"	16D			45137	45138	Sinker 12D 3.125in Smooth Vinyl
3-3/4"	20D			45139	N/A	Sinker 20D 3.75in Smooth Vinyl

UNDERLAYMENT NAILS

Length	Gauge	Shank	Coating	Item ID - 1lb	Item ID - 5lb	Description
1-1/4"	12.5ga	RING	Bright	45230	N/A	Underlayment 12.5ga 1.5in Ring Bright
1-1/2"	12.5ga			45231		Underlayment 12.5ga 1.25in Ring Bright

Bulk Nails

Bright / Vinyl Ideal for indoor projects. Excellent holding power & a clean finish for framing, carpentry and woodworking.

Electro Galvanized Ideal for both indoor & light outdoor use. Ensuring strength & protection with its added corrosion resistance coating.

Hot Galvanized Ideal for outdoor & high-moisture environments. Durable & rust-resistant. ACQ Approved











NOTES

50 lb Bulk Nails

Bright / Vinyl Ideal for indoor projects. Excellent holding power & a clean finish for framing, carpentry and woodworking.

Electro Galvanized Ideal for both indoor & light outdoor use. Ensuring strength & protection with its added corrosion resistance coating.

Hot Galvanized Ideal for outdoor & high-moisture environments. Durable & rust-resistant. ACQ Approved

Interchange Pro nails are made from premium-grade steel and engineered for superior performance and durability. Ideal for framing, finishing and specialty applications.

COMMON NAILS

Bright

Ideal for framing and general construction. Not suggested for treated lumber or exterior projects.

Hot Galvanized



ACQ APPROVED

Ideal for framing and general construction. High corrosion protection. Recommended for treated lumber.

BOX NAILS

Bright



Ideal for light duty construction such as boxes and crates. Not suggested for treated lumber or exterior projects.

Hot Galvanized



ACQ APPROVED

Ideal for exterior light duty construction. High corrosion protection. Recommended for treated lumber.

DUPLEX NAILS

Bright



For temporary structures such as scaffolds and framework.

SINKER NAILS

Vinyl



Ideal for framing, carpentry and general construction.
Not suggested for treated lumber or exterior projects.

ROOFING NAILS

Electro Galvanized



For asphalt roofing installation.
Limited corrosion protection.

Hot Galvanized



ACQ APPROVED

For asphalt roofing installation. High corrosion protection.
Recommended for treated lumber.

METAL SQUARE CAP NAILS

Electro Galvanized



Ideal for fastening underlayment substrates and insulation. Limited corrosion protection.

CUT MASONRY NAILS

Bright



Ideal for attaching wood to interior brick and concrete.
Not suggested for treated lumber or exterior projects.

Hot Galvanized



ACQ APPROVED

Ideal for attaching wood to brick and concrete.
High corrosion protection. Recommended for treated lumber.

JOIST HANGER NAILS

Bright
Electro Galvanized



Ideal for attaching joist hangers to wood framework.
Not suggested for treated lumber or exterior projects.

Hot Galvanized



ACQ APPROVED

Ideal for attaching joist hangers to wood framework. High corrosion protection. Recommended for treated lumber.

PALLET NAILS (Machine Grade)

Bright



Ideal for pallet and crate building. Not suggested for treated lumber or exterior projects.

ROOFING TILE NAILS

Electro Galvanized



For clay roofing tile installation.
Limited corrosion protection.

50 lb Bulk Nails

Length	Penny/Diameter	Shank	Coating	Point	Item ID	Description
BOX NAILS						
2"	6D	SMOOTH	Hot Galvanized	N/A	45031	Box 6D 2in Smooth Hot Galvanized
2-1/2"	8D		Electro Galvanized		45005	Box 8D 2-1/2in Smooth Electro Galvanized
3-1/2"	16D				45000	Box 16D 3-1/2in Smooth Electro Galvanized
2-1/2"	8D		Hot Galvanized		45245	Box 8D 2-1/2in Smooth Hot Galvanized
3-1/2"	16D				45003	Box 16D 3-1/2in Smooth Hot Galvanized
COMMON NAILS						
2"	6D	SMOOTH	Bright	N/A	45028	Common 6D 2in Smooth Bright
2-1/2"	8D				45032	Common 8D 2-1/2in Smooth Bright
3"	10D				45017	Common 10D 3in Smooth Bright
3-1/4"	12D				45019	Common 12D 3-1/4in Smooth Bright
3-1/2"	16D				45021	Common 16D 3-1/2in Smooth Bright
4"	20D				45023	Common 20D 4in Smooth Bright
5"	40D				45026	Common 40D 5in Smooth Bright
6"	60D				45027	Common 60D 6in Smooth Bright
3"	10D		Hot Galvanized		45018	Common 10D 3in Smooth Hot Galvanized
3-1/2"	16D				45022	Common 16D 3-1/2in Smooth Hot Galvanized
CUT MASONRY NAILS						
2-1/2"	8D	N/A	Bright	N/A	45014	Cut Masonry 8D 2-1/2in Temper Hardened Bright
3"	10D				45008	Cut Masonry 10D 3in Temper Hardened Bright
2-1/2"	8D		Hot Galvanized		45016	Cut Masonry 8D 2-1/2in Temper Hardened Hot Galvanized
3"	10D				45013	Cut Masonry 10D 3in Temper Hardened Hot Galvanized
DUPLEX NAILS						
1-3/4"	6D	SMOOTH	Bright	N/A	45034	Duplex 6D 1-3/4in Smooth Bright
2-1/4"	8D				45035	Duplex 8D 2-1/4in Smooth Bright
3"	16D				45033	Duplex 16D 3in Smooth Bright
JOIST HANGER NAILS						
1-1/2"	9G	SMOOTH	Bright	N/A	45037	Joist Hanger 1-1/2in 9G Smooth Bright
1-1/2"	9G		Electro Galvanized		45038	Joist Hanger 1-1/2in 9G Smooth Electro Galvanized
1-1/2"	9G		Hot Galvanized		45039	Joist Hanger 1-1/2in 9G Smooth Hot Galvanized
1-1/2"	10G		Bright		45036	Joist Hanger 1-1/2in 10G Smooth Bright
METAL SQUARE CAP NAILS						
3/4"		RING	Electro Galvanized	N/A	45047	Metal Square Cap 3/4in Ring Electro Galvanized
7/8"					45052	Metal Square Cap 7/8in Ring Electro Galvanized
1"					45043	Metal Square Cap 1in Ring Electro Galvanized
1-1/4"					45041	Metal Square Cap 1-1/4in Ring Electro Galvanized
1-3/4"					45042	Metal Square Cap 1-3/4in Ring Electro Galvanized
2"					45045	Metal Square Cap 2in Ring Electro Galvanized
2-1/2"					45044	Metal Square Cap 2-1/2in Ring Electro Galvanized
3"					45048	Metal Square Cap 3in Ring Electro Galvanized
3-1/2"					45046	Metal Square Cap 3-1/2in Ring Electro Galvanized
4"					45049	Metal Square Cap 4in Ring Electro Galvanized
5"					45051	Metal Square Cap 5in Ring Electro Galvanized
PALLET NAILS						
1-3/4"	.113	SCREW	Bright	No Point	45053	Pallet 1-3/4in x .113 Screw Bright No Point
1-3/4"				Blunt Diamond Point	45242	Pallet 1-3/4in x .113 Sc Bright Blunt Diamond
1-5/8"				No Point	45054	Pallet 1-5/8in x .113 Screw Bright No Point
2"				Blunt Diamond Point	45066	Pallet 2in x .113 Screw Bright Diamond Point
2"				No Point	45067	Pallet 2in x .113 Screw Bright No Point
2-1/4"				Blunt Diamond Point	45055	Pallet 2-1/4in x .113 Screw Bright Diamond Point
2-1/4"				No Point	45057	Pallet 2-1/4in x .113 Screw Bright No Point
2"	.120	RING		No Point	45069	Pallet 2in x .120 Ring Bright No Point
2-1/4"				No Point	45059	Pallet 2-1/4in x .120 Ring Bright No Point
2"		SCREW		Diamond Point	45071	Pallet 2in x .120 Screw Bright Diamond Point
2"				No Point	45072	Pallet 2in x .120 Screw Bright No Point
2-1/4"				No Point	45060	Pallet 2-1/4in x .120 Screw Bright No Point
3"				No Point	45073	Pallet 3in x .120 Screw Bright No Point
ROOFING NAILS						
3/4"	.120	SMOOTH	Electro Galvanized	N/A	45243	Roofing 3/4in Smooth Electro Galvanized
7/8"					45244	Roofing 7/8in Smooth Electro Galvanized
1"					45077	Roofing 1in Smooth Electro Galvanized
1-1/4"					45075	Roofing 1-1/4in Smooth Electro Galvanized
1-1/2"					45074	Roofing 1-1/2in Smooth Electro Galvanized
1-3/4"					45076	Roofing 1-3/4in Smooth Electro Galvanized
2"					45082	Roofing 2in Smooth Electro Galvanized
2-1/2"					45078	Roofing 2-1/2in Smooth Electro Galvanized
3"					45084	Roofing 3in Smooth Electro Galvanized
2"			Hot Galvanized		45083	Roofing 2in Smooth Hot Galvanized
2-1/2"					45081	Roofing 2-1/2in Smooth Hot Galvanized
3"					45085	Roofing 3in Smooth Hot Galvanized
ROOFING TILE NAILS						
4"	.120	SMOOTH	Electro Galvanized	N/A	45086	Roofing Tile 4in Smooth Electro Galvanized
6"					45087	Roofing Tile 6in Smooth Electro Galvanized
SINKER NAILS						
1-7/8"	6D	SMOOTH	Vinyl Coated	N/A	45092	Sinker 6D 1-7/8in Smooth Vinyl
2-3/8"	8D				45093	Sinker 8D 2-3/8in Smooth Vinyl
3-1/8"	12D				45089	Sinker 12D 3-1/8in Smooth Vinyl
3-1/4"	16D				45090	Sinker 16D 3-1/4in Smooth Vinyl
TURF SPIKE NAILS						
5"	.192	SMOOTH	Bright	N/A	45246	Turf Spike 5in x .192 Smooth Bright
6"					45247	Turf Spike 6in x .192 Smooth Bright

1M Collated Nails

Bright / Vinyl Ideal for indoor projects. Excellent holding power & a clean finish for framing, carpentry and woodworking.

Electro Galvanized Ideal for both indoor & light outdoor use. Ensuring strength & protection with its added corrosion resistance coating.

Hot Galvanized Ideal for outdoor & high-moisture environments. Durable & rust-resistant. ACQ Approved

Engineered for efficiency, our collated nails are perfect for high-volume fastening with nail guns. Available in a variety of lengths, angles, and finishes to suit framing, siding, roofing, and finish work. Designed for smooth feeding, strong holds, and reduced jamming.

0° PLASTIC COLLATED ROUND HEAD	0° COIL SIDING NAIL	***Smooth & Ring Shank - Round Head*** Siding, Fencing, Sheating, Fiber Cement Board, Soffit	Electro Galvanized
21° PLASTIC COLLATED ROUND HEAD	21° ROUND HEAD NAIL	***Smooth, Ring & Screw Shank - Round Head*** Wood-to-Wood Construction, Framing, Decking, Fence Building	Bright, Hot Galvanized
15° WIRE COLLATED ROUND HEAD	15° COIL NAIL	***Ring Shank - Round Head*** Siding, Fencing, Sheating, Fiber Cement Board, Soffit	Electro Galvanized, Hot Galvanized
30°-34° PAPER COLLATED CLIPPED HEAD	30°-34° PAPER TAPE	***Smooth & Ring Shank - Clipped Head*** Wood-to-Wood Construction, Framing, Decking, Fence Building	Bright, Hot Galvanized
34° PAPER COLLATED ROUND HEAD JOIST NAILS	MC METAL CONNECTOR NAIL	***Smooth Shank - Round Head*** Joist Hanger and Metal Connector Installation	Bright, Hot Galvanized
15° WIRE COIL ROOFING NAILS	RF ROOFING NAIL	***Smooth Shank - Round Head*** Roofing	Electro Galvanized





























Get our flyer digitally!
Scan the QR code.




NOW AVAILABLE IN DURABLE TUBS

1M Collated Nails

Bright / Vinyl Ideal for indoor projects. Excellent holding power & a clean finish for framing, carpentry and woodworking.

Electro Galvanized Ideal for both indoor & light outdoor use. Ensuring strength & protection with its added corrosion resistance coating.

Hot Galvanized Ideal for outdoor & high-moisture environments. Durable & rust-resistant. ACQ Approved

Length	Diameter	Shank	Coating	Item ID	Tub Qty	Pallet Qty	Description
0° DPC Plastic Collated Round Head Siding Nails							
1-7/8"	.092	Smooth	Electro Galvanized	45376	1,000	105	1-7/8in x .092 Smooth Shank Electro Galvanized 0° Plastic Fencing Collated Nails
		Ring		45377			1-7/8in x .092 Ring Shank Electro Galvanized 0° Plastic Fencing Collated Nails
15° HWCF Paper Collated Round Head Siding Nails							
1-3/4"	.092	Ring	Electro Galvanized	45372	1,200	105	1-3/4in x.092 Ring Shank Electro Galvanized 15° Wire 8.0 Fencing Collated Nails
			Hot Galvanized	45375			1-3/4in x.092 Ring Shank Hot Galvanized 15° Wire 8.0 Fencing Collated Nails
2"				45323			2in x .092 Ring Shank Hot Galvanized 15° Wire 8.0 Fencing Collated Nails
2-3/16"				45324			2-3/16in x .092 Ring Shank Hot Galvanized 15° Wire 8.0 Fencing Collated Nails
2-1/4"			Electro Galvanized	45374			2-1/4in x.092 Ring Shank Electro Galvanized 15° Wire 8.0 Fencing Collated Nails
21° DPS Plastic Collated Round Framing Head Nails							
2"	.113	Ring	Hot Galvanized	45292	1,000	168	2in x .113 Ring Shank Hot Galvanized 21° Plastic Collated Nails
2-1/4"	.148	Smooth	Bright	45285		105	2-1/4in x .148 Smooth Shank Bright 21° Plastic Collated Nails
			Hot Galvanized	45294			2-1/4in x .148 Smooth Shank Hot Galvanized 21° Plastic Collated Nails
2-3/8"	.113	Smooth	Bright	45283		168	2-3/8in x .113 Smooth Shank Bright 21° Plastic Collated Nails
		Ring		45284			2-3/8in x .113 Ring Shank Bright 21° Plastic Collated Nails
	.148			45356		105	2-3/8in x .148 Ring Shank Bright 21° Plastic Collated Nails
	.113		Hot Galvanized	45296		168	2-3/8in x .113 Ring Shank Hot Galvanized 21° Plastic Collated Nails
2-1/2"	.131	Smooth	Bright	45286		105	2-1/2in x .131 Smooth Shank Bright 21° Plastic Collated Nails
	.148			45357			2-1/2in x .148 Smooth Shank Bright 21° Plastic Collated Nails
	.131		Hot Galvanized	45293			2-1/2in x .131 Smooth Shank Hot Galvanized 21° Plastic Collated Nails
3"	.120	Ring	Bright	45287			3in x .120 Smooth Shank Bright 21° Plastic Collated Nails
				45288			3in x .120 Ring Shank Bright 21° Plastic Collated Nails
	.131	Smooth		45289			3in x .131 Smooth Shank Bright 21° Plastic Collated Nails
	.120	Ring	Hot Galvanized	45297			3in x .120 Ring Shank Hot Galvanized 21° Plastic Collated Nails
		Screw		45407			3in x .120 Screw Shank Hot Galvanized 21° Plastic Collated Nails
	.131	Smooth		45359			3in x .131 Smooth Shank Hot Galvanized 21° Plastic Collated Nails
		Ring		45299			3in x .131 Ring Shank Hot Galvanized 21° Plastic Collated Nails
3-1/4"	.148	Smooth	Bright	45290			3-1/4in x .131 Smooth Shank Bright 21° Plastic Collated Nails
				45358			3-1/4in x .148 Smooth Shank Bright 21° Plastic Collated Nails
	.131		Hot Galvanized	45301			3-1/4in x .131 Smooth Shank Hot Galvanized 21° Plastic Collated Nails
	.148			45360			3-1/4in x .148 Smooth Shank Hot Galvanized 21° Plastic Collated Nails
3-1/2"	.131		Bright	45291			3-1/2in x .131 Smooth Shank Bright 21° Plastic Collated Nails
30°-34° PT Paper Collated Clipped Head Framing Nails							
2"	.120	Ring	Hot Galvanized	45313	1,000	168	2in x .120 Ring Shank Hot Galvanized 34° Paper Collated Nails
2-3/8"	.113	Smooth	Bright	45361			2-3/8in x .113 Smooth Shank Bright 34° Paper Collated Nails
		Ring		45307			2-3/8in x .113 Ring Shank Bright 34° Paper Collated Nails
			Hot Galvanized	45314			2-3/8in x .113 Ring Shank Hot Galvanized 34° Paper Collated Nails
3"	.120	Smooth	Bright	45309			3in x .120 Smooth Shank Bright 34° Paper Collated Nails
		Ring		45362			3in x .120 Ring Shank Bright 34° Paper Collated Nails
	.131	Smooth		45310			3in x .131 Smooth Shank Bright 34° Paper Collated Nails
		Ring		45365			3in x .131 Ring Shank Bright 34° Paper Collated Nails
	.120		Hot Galvanized	45315			3in x .120 Ring Shank Hot Galvanized 34° Paper Collated Nails
3-1/4"	.131	Smooth	Bright	45311			3-1/4in x .131 Smooth Shank Bright 34° Paper Collated Nails
34° PTJH Paper Collated Round Head Joist Nails							
1-1/2"	.131	Smooth	Bright	45366	1,000	168	1-1/2in x .131 Smooth Shank Bright High Carbon 34° Joist Collated Nails
	.148			45317			1-1/2in x .148 Smooth Shank Bright 34° Joist Collated Nails
	.131		Hot Galvanized	45316			1-1/2in x .131 Smooth Shank Hot Galvanized 34° Joist Collated Nails
	.148			45319			1-1/2in x .148 Smooth Shank Hot Galvanized 34° Joist Collated Nails
2-1/2"			Bright	45367		105	2-1/2in x .148 Smooth Shank Bright High Carbon 34° Joist Collated Nails
	.162			45368			2-1/2in x .162 Smooth Shank Bright High Carbon 34° Joist Collated Nails
	.148		Hot Galvanized	45369			2-1/2in x .148 Smooth Shank Hot Galvanized 34° Joist Collated Nails
15° CR Coil Roofing Nails							
1-1/4"	.120	Smooth	Electro Galvanized	45534	840	105	1-1/4in x .120 Smooth Shank Electro Galvanized 15° Wire Coil Roofing Nails

















NOTES

1M Finish Fasteners

Electro Galvanized Ideal for both indoor & light outdoor use. Ensuring strength & protection with its added corrosion resistance coating.

Interchange Pro nails are made from premium-grade steel and engineered for superior performance and durability. Ideal for framing, finishing and specialty applications.

"DA" STYLE ANGLED NAILS	15 GA ANGLED NAIL	Electro Galvanized ***Primary Applications*** Casing, Trim, Base Moulding and Cabinets		
STRAIGHT FINISH NAILS	16 GA STRAIGHT NAIL	Electro Galvanized ***Primary Applications*** Casing, Finish, Trim, Moulding Baseboard and Cabinets		
20° ANGLED FINISH NAILS	16 GA ANGLED NAIL	Electro Galvanized ***Primary Applications*** Casing, Finish, Trim, Moulding Baseboard and Cabinets		
BRAD NAILS	18 GA BRAD NAIL	Electro Galvanized ***Primary Applications*** Casing, Finish, Trim, Corner Round Moulding Baseboard and Cabinets		
"L" STYLE NARROW NAILS	18 GA NARROW CROWN STAPLE	Electro Galvanized ***Primary Applications*** Cabinets, Door Frames, Soffit, Picture Frames		
"N" STYLE MEDIUM NAILS	16 GA MEDIUM CROWN STAPLE	Electro Galvanized ***Primary Applications*** Crates, Pallets, Sheathing and Cabinet Backs		
HEADLESS PIN NAILS	23 GA PIN NAIL	Electro Galvanized ***Primary Applications*** Fine Trim Work		

Get our flyer digitally!
Scan the QR code.



SOLD IN RECLOSABLE COMPACT BOXES


1M Finish Fasteners

Electro Galvanized Ideal for both indoor & light outdoor use. Ensuring strength & protection with its added corrosion resistance coating.

Length	Gauge	Shank	Coating	Point	Master Pack QTY	Item ID	Description
15 ga "DA" Style Angled Finish Nails							
1-1/2"	15G	N/A	Electro Galvanized	Chisel	4	45248	DA 1-1/2in 15ga Electro Galvanized Chisel Point
2"						45249	DA 2in 15ga Electro Galvanized Chisel Point
2-1/2"						45250	DA 2-1/2in 15ga Electro Galvanized Chisel Point
16 ga Straight Finish Nails							
1"	16G	N/A	Electro Galvanized	Chisel	4	45254	PB 1in 16ga Electro Galvanized Chisel Point
1-1/4"						45255	PB 1-1/4in 16ga Electro Galvanized Chisel Point
1-1/2"						45256	PB 1-1/2in 16ga Electro Galvanized Chisel Point
2"						45257	PB 2in 16ga Electro Galvanized Chisel Point
2-1/2"						45258	PB 2-1/2in 16ga Electro Galvanized Chisel Point
16 ga 20° Angled Finish Nails							
1-1/2"	16G	N/A	Electro Galvanized	Chisel	4	45261	PBA 1-1/2in 16ga Electro Galvanized Chisel Point
2"						45262	PBA 2in 16ga Electro Galvanized Chisel Point
2-1/2"						45263	PBA 2-1/2in 16ga Electro Galvanized Chisel Point
18 ga Brad Nails							
5/8"	18G	N/A	Electro Galvanized	Chisel	8	45264	PX 5/8in 18ga Electro Galvanized Chisel Point
1"						45595	PX 1in 18ga Electro Galvanized Chisel Point
1-1/4"						45265	PX 1-1/4in 18ga Electro Galvanized Chisel Point
1-1/2"						45266	PX 1-1/2in 18ga Electro Galvanized Chisel Point
2"						45267	PX 2in 18ga Electro Galvanized Chisel Point
18 ga "L" Style Narrow Crown Staples							
5/8"	18G	N/A	Electro Galvanized	Chisel	8	45271	1/4 crn 5/8in 18ga Electro Galvanized Chisel Point
7/8"						45272	1/4 crn 7/8in 18ga Electro Galvanized Chisel Point
1"						45273	1/4 crn 1in 18ga Electro Galvanized Chisel Point
1-1/4"						45274	1/4 crn 1-1/4in 18ga Electro Galvanized Chisel Point
1-1/2"						45275	1/4 crn 1-1/2in 18ga Electro Galvanized Chisel Point
16 ga "N" Style Medium Crown Staples							
1-1/2"	16G	N/A	Electro Galvanized	Chisel	4	45276	7/16crn 1-1/2in 16ga Electro Galvanized Chisel Point
2"						45278	7/16crn 2in 16ga Electro Galvanized Chisel Point
23 ga Headless Micro Pins							
1/2"	23G	N/A	Electro Galvanized	Chisel	16	45279	MP 1/2in 23ga Electro Galvanized Diamond Point
3/4"						45281	MP 3/4in 23ga Electro Galvanized Diamond Point
1"						45282	MP 1in 23ga Electo Galvanized Diamond Point









NOTES

Decking & Construction Screws

Designed for outdoor durability, decking screws offer strong, secure fastening for wood, composite, or PVC decking. With corrosion-resistant coatings and self-drilling tips, they ensure clean finishes, reduced splitting, and long-lasting hold in all weather conditions.

Deep star drive recess to prevent cam-out on all screws

CD

COMPOSITE DECK SCREW

Composite Head
Type T17 Point



- ✓ #8, #9, 1-5/8" - 3" Screws
- ✓ Undercut Head prevents mushrooming
- ✓ Dual threads improve performance
- ✓ Type 17 tip eliminates the need to pre-drill
- ✓ T20 Bit Included
- ✓ Top 3 most popular colors for composite/PVC decks

TAN BROWN GREY

ACQ APPROVED



Specially designed for use in composite, or PVC decking.

WD

WOOD DECK SCREW

Flat Head
Sharp Cutting Point



- ✓ #8, #9 or #10, 1-1/4" – 4" Screws
- ✓ Reinforced head with nibs for better countersinking
- ✓ Dual thread design reduces splitting
- ✓ Sharp cutting tip specially designed for hardwood.
- ✓ T25 Bit Included
- ✓ Avaliable in 3 colors

TAN RED GREEN

ACQ APPROVED



Specially designed for use in wood decking and coated for pressure treated wood.

CS

CONSTRUCTION SCREW

Flat Head
Type T17 Point



- ✓ #8, #9 or #10, 1-1/4" – 4" Screws
- ✓ Flat head with nibs provides a smooth clean finish
- ✓ Designed for strength and durability
- ✓ Type 17 tip eliminates the need to pre-drill
- ✓ T25 Bit Included
- ✓ Avaliable in Zinc

ZINC



Zinc coating for interior projects.

Decking & Construction Screws

Composite Deck Screws

Composite Head | Type T17 Point | Star Drive



Size	Length	Star Recess	Tip	1 lb Net (12/case) Item ID	5 lb Net (4/case) Item ID	25 lb Pail Item ID	1 lb Net (12/case) Item ID	5 lb Net (4/case) Item ID	25 lb Pail Item ID	1 lb Net (12/case) Item ID	5 lb Net (4/case) Item ID	25 lb Pail Item ID
Composite Deck Screws												
8	1 5/8"	T-20	T17	47242	47243	47244	47251	47252	47253	47260	47262	47263
9	2 1/2"	T-20	T17	47245	47246	47247	47254	47255	47256	47265	47268	47269
9	3"	T-20	T17	47248	47249	47250	47259	47257	47258	47270	47271	47272

Wood Deck Screws

Flat Head | Sharp Cutting Point | Star Drive



Size	Length	Star Re-cess	Tip	1 lb Net (12/case) Item ID	5 lb Net (4/case) Item ID	25 lb Pail Item ID	1 lb Net (12/case) Item ID	5 lb Net (4/case) Item ID	25 lb Pail Item ID	1 lb Net (12/case) Item ID	5 lb Net (4/case) Item ID	25 lb Pail Item ID
Wood Deck Screws												
8	1 1/4"	T-25	SC	47319	47321	47323	47294	47295	47296	47273	47274	47275
8	1 5/8"	T-25	SC	47324	47325	47326	47297	47298	47299	47276	47277	47278
9	2"	T-25	SC	47327	47328	47329	47301	47303	47304	47279	47280	47281
9	2 1/2"	T-25	SC	47330	47331	47332	47305	47306	47307	47282	47283	47284
9	3"	T-25	SC	47333	47334	47335	47308	47310	47311	47285	47286	47287
10	3 1/2"	T-25	SC	47336	47337	47338	47313	47314	47315	47288	47289	47290
10	4"	T-25	SC	47339	47340	47341	47316	47317	47318	47291	47292	47293

Construction Screws

Flat Head | Type T17 Point | Star Drive



Size	Length	Star Re-cess	Tip	1 lb Net (12/case) Item ID	5 lb Net (4/case) Item ID	25 lb Pail Item ID
Construction Screws						
8	1 1/4"	T-25	T17	47342	47343	47344
8	1 5/8"	T-25	T17	47345	47346	47347
9	2"	T-25	T17	47348	47349	47350
9	2 1/2"	T-25	T17	47351	47352	47353
9	3"	T-25	T17	47354	47355	47356
10	3 1/2"	T-25	T17	47357	47358	47359
10	4"	T-25	T17	47360	47361	47362

Color Legend



TAN | BROWN | GREY | RED | GREEN | ZINC









NOTES

Drywall & Metal Framing Screws

Phosphate Ideal for indoor projects. Provides a moderate corrosion resistance – best suited for indoor applications with minimal moisture exposure. Has a dull matte black finish.

Zinc Ideal for indoor projects. Provides double the moisture protection vs phosphate. Has a shiny silver or yellow finish.

Ruspert Coating Ideal for high-moisture environments. Durable & rust-resistant. ACQ Approved.

Our premium drywall and framing screws are engineered to provide superior performance for all your construction and renovation projects. If you're installing drywall or framing a structure, our screws offer strength, reliability, and ease of use.

DRYWALL TO WOOD


Bugle Head | Sharp Point

Phosphate / Zinc

Primary Applications

Drywall to Wood



DRYWALL TO LIGHT GAUGE METAL

Bugle Head | Sharp Point

Phosphate

Primary Applications

Drywall to Light Metal - 25 gauge to 20 gauge






DRYWALL TO MEDIUM GAUGE METAL


Bugle Head | SD #2

Zinc

Primary Applications

Drywall to Metal - 20 gauge to 14 gauge
Head Board, Exterior Sleathing



LATH TO METAL


Mod Truss Head | SD #2

Zinc

Primary Applications

Lath to Metal - 20 gauge to 14 gauge







METAL TO LIGHT GAUGE METAL

Pan Head | Mod Truss Head | Sharp Point

Phosphate / Zinc

Primary Applications

Lath to Light Metal - 25 gauge to 20 gauge







METAL TO MEDIUM GAUGE METAL

Pan Head | Mod Truss Head | Hex Washer Head | SD #2 | SD #3

Zinc

Primary Applications

Metal to Thick Metal - 20 gauge to 14 gauge







LATH TO WOOD

Mod Truss Head | Sharp Point

Zinc

Primary Applications

Lath to Wood







CEMENT BOARD


Wafer Head w/ Nibs | T25 Recess | Phillips #2 Recess | Spade Point | HiLo Thread | SD #2

Ruspert Coating

Primary Applications

Cement Board to Wood






Drywall & Metal Framing Screws

Get our flyers digitally!
Scan the QR code.

Length	Penny/Diam-	Head	Recess	Coating	Point	Item ID	Description
Drywall to Wood							
1-1/4"	#6	Bugle	Phillips #2	Phosphate	Sharp	47229	Drywall #6 1-1/4in Crs Bugle Shrp Phos - 8M
1-5/8"						47230	Drywall #6 1-5/8in Crs Bugle Shrp Phos - 5M
2"						47231	Drywall #6 2 Crs Bugle Shrp Phos - 3.5M
2"	#7					47370	Drywall #7 2in Crs Bugle Shrp Phos - 3.5M
1-1/4"	#6			Yellow Zinc		47236	Drywall #6 1-1/4in Crs Bugle Shrp YZinc - 8M
2"						47237	Drywall #6 2in Crs Bugle Shrp YZinc - 3.5M
Drywall to Light Gauge Metal							
1-1/8"	#6	Bugle	Phillips #2	Phosphate	Sharp	47232	Drywall #6 1-1/8in Fine Bugle Shrp Phos - 10M
1-1/4"						47233	Drywall #6 1-1/4in Fine Bugle Shrp Phos - 8M
1-5/8"						47234	Drywall #6 1-5/8in Fine Bugle Shrp Phos - 5M
2"						47235	Drywall #6 2in Fine Bugle Shrp Phos - 3.5M
Drywall to Metal							
1-1/4"	#6	Bugle	Phillips #2	Zinc	SD #2	47363	Drywall #6 1-1/4in Fine Bugle SD Zinc - 8M
1-7/8"						47364	Drywall #6 1-7/8in Fine Bugle SD Zinc - 4M
Cement Board							
1-1/4"	#8	Wafer w/Nibs	T25	Ruspert	Spade Point	39612	Screw #8 X 1-1/4in Wafer Ruspert 5M
1-1/4"			Phillips #2		Spade Point	45580	Screw #8 X 1-1/4in Wafer PH SP Ruspert 5M
1-1/4"					SD #2	45581	Screw #8 X 1-1/4in Wafer PH SD Ruspert 5M
1-5/8"			T25		Spade Point	39613	Screw #8 X 1-5/8in Wafer Ruspert 5M
1-5/8"			Phillips #2		Spade Point	45582	Screw #8 X 1-5/8in Wafer PH SP Ruspert 5M
Lath to Wood							
1-1/4"	#8	Mod Truss	Phillips #2	Zinc	Sharp	45532	Lath #8 1-1/4 Fine Mod Truss Shrp Zinc-5M
2"						45530	Lath #8 2 Fine Mod Truss Shrp Zinc-2.5M
2-1/2"						45529	Lath #8 2-1/2" Fine Mod Truss Shrp Zinc-2M
3"						45528	Lath #8 3 Fine Mod Truss Shrp Zinc-1.5M
Lath to Metal							
1"	#8	Mod Truss	Phillips #2	Zinc	SD #2	47240	Lath #8 1in Fine Mod Truss SD Zinc - 8M
1"					Sharp	47238	Lath #8 1in Fine Mod Truss SD Zinc - 8M
1-5/8"					SD #2	47241	Lath #8 1-5/8in Fine Mod Truss SD Zinc - 5M
1-5/8"					Sharp	47239	Lath #8 1-5/8in Fine Mod Truss SD - 8M
Metal to Metal Light Gauge							
7/16"	#7	Pan	Phillips #2	Phosphate	Sharp	47368	Framing #7 7/16in Pan Sharp Phos - 10M
1"	#8	Mod Truss		Zinc		47238	Lath #8 1in Fine Mod Truss SD Zinc - 5M
1-5/8"						47239	Lath #8 1-5/8in Fine Mod Truss SD - 8M
Metal to Metal Medium Gauge							
1/2"	#8	Mod Truss	Phillips #2	Zinc	SD #2	47365	Framing #8 1/2in Fine Truss SD Zinc - 10M
7/16"	#7	Pan				47369	Framing #7 7/16in Pan SD Zinc - 10M
3/4"	#10	Mod Truss			SD #3	47366	Framing #10 3/4in Fine Truss SD3 Zinc - 5M
3/4"		Hex Washer	5/16"			47367	Framing #10 3/4in Hex SD3 Zinc - 6M
1"	#8	Mod Truss	Phillips #2		SD #2	47240	Lath #8 1in Fine Mod Truss SD Zinc - 8M
1-5/8"						47241	Lath #8 1-5/8in Fine Mod Truss SD Zinc - 5M



NOTES

INTERCHANGE PRO®

CONSTRUCTION SUPPLIES

Water Hose

Durable and reliable, our water hoses are built to withstand tough construction site conditions. Our rubber and PVC water hoses are heavy duty, kink resistant, abrasion resistant and made to handle extreme weather conditions - yet they are lightweight and portable. Ideal for dust control, equipment cleaning and other general water transfer on the job.

Superior Fittings



RUBBER WATER HOSE

- ✓ 3/4" Solid brass fittings
- ✓ 20% Lighter than standard rubber hose
- ✓ Suitable for use with hot water up to 180°F
- ✓ 500 PSI minimum burst pressure
- ✓ Ozone Resistant / Abrasion Resistant / Kink Resistant
- ✓ Bend Restrictor for added protection
- ✓ 3:1 Safety Factor



4-Finger Grip Bend Protector

3/4" Solid Brass Nozzle

3/4" Solid Brass Coupling

Type	Diameter	Length	SKU	Item ID	Diameter	Length	SKU	Item ID
Rubber Water Hose	5/8"	50'	RBW5850	84782	3/4"	50'	RBW3450	84785
		75'	RBW5875	84783		100'	RBW34100	84786
		100'	RBW58100	84784				

100% RUBBER GOMA



PVC WATER HOSE

- ✓ 3/4" Brass fittings
- ✓ Tough, weather-resistant PVC cover
- ✓ High-strength polyester-braided radial reinforcement
- ✓ 500 PSI minimum burst pressure
- ✓ Kink-free 3-ply construction
- ✓ 4-finger grip bend restrictor
- ✓ Lightweight and portable



Reinforced Bend Protectors

3/4" Brass Coupling

3/4" Brass Nozzle

Type	Diameter	Length	SKU	Item ID	Diameter	Length	SKU	Item ID
PVC Water Hose	5/8"	50'	PVCW5850	84565	3/4"	50'	PVCW3450	84568
		75'	PVCW5875	84566		100'	PVCW34100	84569
		100'	PVCW58100	84567				

100% RUBBER GOMA

Get our flyers digitally!
Scan the QR code.

Heavy Duty Contractor Bags

Our new Interchange PRO Heavy Duty Contractor Bags are premium, USA-made product and ready to tackle any cleaning job.

FEATURES:

- ✓ Superior stretch
- ✓ Puncture resistant
- ✓ Perforated roll feed, easy to dispense box
- ✓ Twist ties included



HEAVY DUTY CONTRACTOR TRASH BAGS

MADE IN USA

3mil, 42 Gallon
Item ID. 25170

Heavy Duty Floor Protection

Interchange PRO now carries heavy duty floor protection. The highest quality in the industry!

FEATURES:

- ✓ 40MIL thick
- ✓ Liquid resistant
- ✓ 38" X 100' designed for a 2" overlap at the seam
- ✓ Recyclable
- ✓ Individually wrapped
- ✓ 16 Rolls to a pallet





MADE IN USA

38" x 100'
Item ID. 99623

Underlayment & Wraps

Roofing Underlayment

Our underlayment is durable, tear-resistant, and built to withstand UV exposure, moisture and jobsite foot traffic.

FEATURES:

- ✓ Repels moisture
- ✓ Mold growth resistent
- ✓ Lightweight - 4X lighter than felt
- ✓ Fast Installation
- ✓ Slip-resistant
- ✓ 180 day UV exposure
- ✓ 30 year limited warranty



Product Details

Properties	Standard	RUS4250PRO
Unrolling	ASTM D8257	Pass
Pliability	ASTM D8257	Pass
Moisture Vapour Permeance	ASTM E96-A	Pass
Liquid Water Transmission	ASTM D4869	Pass
Linear Dimentional Change	ASTM D1204	MD 1.9% CD 1.8% Pass
Hydrostatic Resistance	ASTM E84	Pass
Tensile Strength (MD/CD)	ASTM D5035	MD 125lbs CD 80lbs Pass
Tear Strength (MD/CD)	ASTM D4533	MD 45lbs CD 40lbs Pass
Fastener Pull-through Resistance	ASTM D228	200 N Pass
Thermal Cycling	ASTM D8257	Pass
Laboratory Accelerated Weathering	ASTM D4798	Pass
Fire Resistance	ASTM E108-A	Pass

Material Description	RUS4250PRO
Thickness	7.5 Mil
Material Weight (per roll)	22 lbs
Temperature Range	-40°F - 240°F



4' x 250' Synthetic
Item ID. 45389

Woven House Wrap

Our premium Interchange PRO woven house wrap delivers superior protection and durability while allowing structures to breathe, helping safeguard them from the elements.

FEATURES:

- ✓ Air Filtration & Weather Protection
- ✓ U.V. Treated
- ✓ Moisture Protection
- ✓ White Translucent
- ✓ Individually Wrapped
- ✓ 72 Rolls to a pallet



Product Details

Properties	Standard	HWWR9150PRO
Thickness (Mil)	ASTM D3767	4
Weight per 1000 ft²	AC 38	14
Perms	ASTM E96-A	12.5
Tensile	ASTM D882	50/45
Water Resistance	ASTM D779-03	Pass
Surface Burning Flame Spread/Smoke Dev.	ASTM E84	Class A / Class A
Accelerated Aging	AC 38	Pass
UV Exposure	AC 38	Pass
UV Days	AC 38	180
ICC-ESR Listing	AC 38	2955

Material Description	HWWR9150PRO
Substrate	Woven HDPE
Substrate Scrim	8 x 7
Coating	LPDE 1 Side
Material Weight (gsm)	64
Microperforation	Yes



9' x 150' Woven
Item ID. 45439

Get our flyers digitally!
Scan the QR code.

Stucco Tape



Durable, moisture-resistant polyethylene (PE) film backing with a synthetic rubber adhesive provides strong adhesion and easy handling without excessive stretching.

Smooth Edge Tape- 2" x 60 YDS

Versatile solution for sealing, patching, bundling, and wrapping. Provides reliable surface protection for vapor barriers, wire hold-down. EIFS masking and general construction applications.

Serrated Edge Tape- 2" x 60 YDS

Easy-tear serrated tape for faster sealing, patching, bundling, and wrapping. Delivers reliable surface protection vapor barriers, wire hold-down, EIFS masking and general construction applications.



Item ID. 40002

Product Details	
Width	2"
Length	60YDS
Backing	Polyethylene (PE) Film
Adhesive	Synthetic Rubber
Adhesion to Steel (oz./in of width) ASTM D-3330	75 (20.5 N/25mm)
Tensile Strength (lbs./in of width) ASTM D-3759	23 (100.7 N/25mm)
Elongation (% at break) ASTM D-3759	75
Total Thickness (mils) ASTM D-3652	7.0 (0.178mm)
Application Temperature Range	+45° to +150°F (+7°C ~ +65°C)
Operating Temperature Range	+20°F ~ +200°F (7°C ~ 93°C)



Item ID. 40141

NOMINAL VALUES: The following data are nominal values based on PSTC, ASTM and other standard tests. The data should not be considered as specifications.

Utility Duct Tape

The Interchange PRO duct tape features a durable polyester (PET) cloth and polyethylene (PE) film backing, strong adhesive for reliable performance across a wide range of utility applications.

FEATURES:

- ✓ Ideal for packaging, wrapping & sealing, binding & bundling, and general maintenance
- ✓ Strong long-lasting adhesion
- ✓ Hand-tearable for quick and easy application
- ✓ Moisture resistant
- ✓ Wide operating temperature range
- ✓ Case pack includes 24 rolls per case

Product Details	
Width	2"
Length	60YDS
Backing	PE Film
Adhesive	Natural Rubber/Resin
Reinforcement	PET Cloth
Tensile Strength (lbs/in of width) PSTC-131	16.5 (72.2 N/25mm)
Elongation (% at break)	15
Adhesion to Steel (oz/in of width) PSTC-101	40 (10.9 N/25mm)
Quick Stick to Steel (oz/in of width) PSTC-5	10 (2.7 N/25mm)
Total Thickness (mils) PSTC-133	6.0 (0.15mm)
Color	Silver

MADE IN USA



6mil

Item ID. 39615

Get our flyers digitally!
Scan the QR code.

Curing Concrete Blanket

Our Interchange PRO Concrete Curing Blankets maintain consistent curing temperatures to improve concrete strength and protect against cold-weather damage, available in 3 thicknesses & 2 convenient sizes.

2 Layer Foam Blanket



3 Layer Foam Blanket



4 Layer Foam Blanket



Product Size	Finished Product Size	Layers	SKU	R Value with Air Gap	R Value on Surface	Item ID	Description
Product Type							
6ft x 25ft	5ft 8in x 24ft 5in	2 Layer Foam	CB2625PRO	3.30	1.37	40033	2 Layer Foam 6ft x 25ft ORANGE
6ft x 25ft	5ft 8in x 24ft 5in	3 Layer Foam	CB3625PRO	3.43	1.50	40036	3 Layer Foam 6ft x 25ft ORANGE
6ft x 25ft	5ft 8in x 24ft 5in	4 Layer Foam	CB4625PRO	3.80	2.18	45585	4 Layer Foam 6ft x 25ft ORANGE
12ft x 25ft	11ft 6in x 24ft 5in	2 Layer Foam	CB21225PRO	3.30	1.37	40035	2 Layer Foam 12ft x 25ft ORANGE
12ft x 25ft	11ft 6in x 24ft 5in	3 Layer Foam	CB31225PRO	3.43	1.50	40039	3 Layer Foam 12ft x 25ft ORANGE
12ft x 25ft	11ft 6in x 24ft 5in	4 Layer Foam	CB41225PRO	3.80	2.18	45586	4 Layer Foam 12ft x 25ft ORANGE

Annealed Black Tie Wire

Our 3.5 lb roll tie wire is a durable, flexible, and easy-to-use solution for securing rebar and other materials. Made from high-quality, annealed steel, it provides exceptional strength while remaining pliable for quick and efficient tying. Ideal for concrete reinforcement, fencing, and general construction applications. Designed to fit standard dispensing reels for additional convenience.

Designed to securely tie rebar prior to concrete pours for dependable jobsite performance. Also ideal for bundling pipes, rods, and lumber in a variety of applications.

16 Gauge - Round



Round Hole

Part No. 84861

16.5 Gauge - Round



Round Hole

Part No. 84862

16 Gauge - Square



Square Hole

Part No. 84863

16.5 Gauge - Square



Square Hole

Part No. 84864



INTERCHANGE PRO®

DISPLAY & POP

Gondola Accessories

The ultimate display solution for any product and any space. Create a strong, organized foundation that will cover all your display needs with ease.

Get our flyer digitally!
Scan the QR code.

Display Headers

2-Foot (24" X 10.5")

4-Foot (48" X 10.5")

Product Display Cards

Tool



6.25"X 3.5"
Provides tool specs and product information.

Accessory



Fastener



Construction



4"X 2.625"
Fit these display cards into the channel card holder. Provides product information for each fastener.

Interchange-Pro.com

Ordering Instructions

Scan the QR code to visit our website. Under *Display & POP*, select "**Product Info Cards**" to access display card order form. To order display headers, select "**Display Hardware**". Each file includes instructions for downloading, printing and ordering the selected display materials.

Channel Card Holder

Displays product information along the front edge of the shelf for easy reference. Measures 48" x 3.75"



Item ID. 448-101

Tool Holder - 5pk

Two-prong holder mounts to the gondola back panel to securely display our tools.



Item ID. ICB 98829

To order more Interchange PRO catalogs, contact marketing@southerncarlson.com

Poly Air Hose 1/4 Pallet Display

This lightweight, durable cardboard display features three sturdy shelves and a space-saving footprint—perfect for any retail floor. Easy to set up and move, it holds 24 to 60 Poly Air Hoses, making restocking and merchandising quick and efficient.



Sort Name. FG00176 Item No. 444971



POLY AIR HOSE			
Diameter	**Length**	**SKU**	**Item ID**
1/4"	25'	PU1425-FF-BLU	84556
	50'	PU1450-FF-BLU	84557
	100'	PU14100-FF-BLU	84558

See pg 10 for more information on our Poly Air Hoses









NOTES

INTERCHANGE PRO®

Stay up-to-date with all

INTERCHANGE PRO PRODUCT LINES

on our website.











Scan the QR code for the latest updates

We update our catalog regularly, so always check the website. It will supersede the printed version.


INTERCHANGE PRO



Nails



Staples



Tools & Accessories



Screws



Construction Supplies



To order, contact your local sales representative or call 1-800-745-6735.

2.0 10/2026

www.Interchange-Pro.com